



Alex Wan



Wechat

(+86)13507090802



WhatsApp



Michael Hua



Wechat

(+86)15302856248



WhatsApp





Kelly



Wechat

(+86)13724616416



WhatsApp



Max Xie



Wechat

(+86)15363626400



WhatsApp



Jackt



Wechat

(+86)18928577987


Mei Tong Flying Aluminum
 Guang Dong Mei Tong Flying Aluminum Co.,Ltd

www.meitongflying.com

E-mail address : meitongflyaluminum@foxmail.com

Address : LaiMeiTong Aluminium industry, Yong'an Avenue, Guanyao Town, Nanhai District, Foshan City, Guangdong Province, China.


**Mei Tong
Flying Aluminum**

20 YEARS
 FOR EXTERIOR
 DOORS AND WINDOWS
 INDUSTRY



BRAND CORE VALUES

- High-End Quality Positioning
- Innovative Product R&D
- Advantages In Production And Supply
- Hardware Matching Services
- System Output Advantage



Research & Development
 Warehouse Base For High-End Intelligent Doors
 And Windows Aluminum Profiles

Six reasons to choose MeiTong Flying Aluminum Co., Ltd

Cutting-edge design technology, leading the market trend benchmark.

PREFORM EXTRUSION

We have independently constructed 50 extrusion lines to produce raw materials with high standards in a fully automated system! MeiTong Flying Aluminum guarantees your products will be worry-free!

SPOT GOODS STOCK

With a stock of 12000 tons aluminum profiles, we are always ready to safeguard our customers! Enabling customers to achieve zero-inventory operation! MeiTong Flying Aluminum helps you save capital!

PRODUCT ACCESSORIES

Our company not only supplies aluminum profiles, but also has all the necessary hardware accessories for all our products, even machinery and equipment. Everything is available! You don't need to search everywhere for accessories after finding the materials. MeiTong Flying Aluminum enables you to get new products all in one step!

SURFACE SPRAYING

Independently constructing 10 surface production lines. We offer all customers the best, fastest, and most cost-effective diversified products! MeiTong Flying Aluminum equips you with the most competitive products!

PRODUCT RESEARCH AND DEVELOPMENT

The company has adhered to a product renewal plan for 10 years like clockwork. With twice-yearly products updates and upgrades, all customers can concentrate wholeheartedly on the windows and doors business. There is no need to worry about not being able to find good products. MeiTong Flying Aluminum saves you the trouble!

TECHNOLOGY SUPPLY

The company has a large number of designers and technicians in reserve! We can provide online assistance or on-site technical services to solve the technical problems in product production, installation and training for all new and old customers at the fastest speed!

GOOD-LOOKING, AIRTIGHT AND SAFE.
PRACTICAL, STYLISH AND
AESTHETICALLY PLEASING.



Company Profile

MeiTong Flying Aluminum Co., Ltd combines the resources and advantages of the 9 branch companies of MeiTong ShiDai Group, taking the foreign trade business as our mission. It specializes in the wholesale of high-end product aluminum profiles and finished products such as system doors and windows, side pressure sealed window, floating sliding window, casement window, panoramic door, heavy-duty lifting sliding door, swing door, luxury sunroom and so on.

"Let outstanding door and window enterprises become our customers and let our customers become outstanding door and window enterprises" is our precise positioning for our company products.

Our powerful product development team survey the global development direction of door and window systems, grasps the core requirements of customers and leads the trend of the times.




Mei Tong Flying Aluminum

300+ SELF-DEVELOPED PATENTS CERTIFIED
ENSURING PRODUCT QUALITY



Cutting-Edge Design Technology




High End Quality



Product Catalog

150 Panoramic Sliding Door	05	110 Thermal Break Sliding Window	68
ZP150 Motorized Vertical Sliding Window	15	120-1 Slim Casement Window	73
130+195 Heavy-Duty Lift Sliding Door	20	110 / 115 Outward & Inward Casement Window	79
130 Lift Sliding Window	35	90-1 New Casement Window	89
128 Floating Sliding Window	41	126 Side Pressure Sealed Window	97
40 Medium Narrow Sliding Door	51	100 Drifting Sliding Window	103
128 Scenery Sliding Window	61		

150 # Panoramic Sliding Door >>>



Product Features:


- ① With embedded drainage lower rail
- ② Extremely narrow design, the vertical door frame is 25mm
- ③ Super size design, the width of a single window can be 1000-3700mm, and the height can be 1000-6000mm
- ④ Super load bearing, customized pulley combination, slide wheel individual weight 170kg

>>> 150 Panoramic Sliding Door




Mei Tong Flying Aluminum

Universal Profiles




JNW-CT1865F

intelligent electric vertical door frame
Weight: 3.03kg/m




JNW-CT1801F

top frame
Weight: 1.1kg/m



JNW-CT1802F

bottom frame
Weight: 1.73kg/m




JNW-XT1803F

horizontal bottom frame base for roller
Weight: 0.9kg/m




JNW-XT1816

side seal cover
Weight: 0.34kg/m



JNW-XT1804

embedded additional rail
Weight: 1.25kg/m




JNW-XT1893

panoramic door closing
Weight: 0.6kg/m




JNW-XT1806F

small floating cover
Weight: 0.17kg/m




JNW-XT1807

big floating cover
Weight: 0.4kg/m




JNW-XT1892

lock slot
Weight: 0.55kg/m



JNW-XT1808D

vertical interlock frame with handle
Weight: 2.0kg/m



JNW-XT1877


drainage cover
Weight: 0.6kg/m




(Used in three, four, five-track)

JNW-XT1817

side seal cover
Weight: 0.33kg/m



JNW-XT1890

additional drainage slot
Weight: 1.11kg/m



JNW-XT1812D

double vertical door frame with hook
Weight: 1.46kg/m


Double Tracks Profiles


JNW-CT1798F2


double top rail and side seal
Weight: 3.28kg/m


JNW-CT1799F2

double bottom rail
Weight: 3.46kg/m



JNW-CT1805F2

embedded double bottom rail
Weight: 3.53kg/m



JNW-CT1887F2

double track vertical drainage
Weight: 2.98kg/m


Three Tracks Profiles


JNW-CT1811F3


triple top rail and side seal
Weight: 5.0kg/m


JNW-XT1909


triple side seal middle cover
Weight: 0.46kg/m


JNW-CT1813F3

triple rail bottom rail
Weight: 5.28kg/m



JNW-CT1805F3

triple rail pre-embedded bottom rail
Weight: 5.35kg/m



JNW-CT1891F3

triple track vertical drainage
Weight: 4.47kg/m

Four Tracks Profiles



JNW-CT1811F4

four top rail and side seal
Weight: 6.7kg/m



JNW-CT1813F4

four rail bottom rail
Weight: 7.0kg/m

Five Tracks Profiles



JNW-CT1811F5

five top rail and side seal
Weight: 8.4kg/m



JNW-CT1813F5

five rail bottom rail
Weight: 8.85kg/m


Double Tracks Ceramic Tile Style


JNW-CT1798F2


double top rail and side seal
Weight: 3.28kg/m


JNW-CT1805F2


embedded double bottom rail
Weight: 3.53kg/m


JNW-XT1818

filled horizontal bottom frame base for roller
Weight: 1.02kg/m




JNW-XT1810
tile side cover
Weight: 0.18kg/m




JNW-XT1815
tile middle cover
Weight: 0.4kg/m

Automatic Profiles




JNW-CT1861F
intelligent additional triple top rail
Weight: 5.77kg/m




JNW-CT1862F
intelligent additional top rail
Weight: 4.3kg/m




JNW-CT1881F3
intelligent triple top rail
Weight: 4.04kg/m



JNW-CT1882F3
intelligent triple top rail
Weight: 4.04kg/m




JNW-XT1863
intelligent rail intermediate additional material
Weight: 1.55kg/m






JNW-XT1864
electric machine pallet
Weight: 0.86kg/m

Assembly Diagram



Double Tracks





Triple Tracks



Four Tracks



Five Tracks





three tracks



two tracks



five tracks



three tracks with drainage



three tracks without drainage

Accessories



top track roller
(Positioning wheel)-2pcs/panel



water proof rubber
pad for bottom track



cap for both side vertical
outer frame(8pcs/set)



I shape lock



anti-collision block for
vertical handle frame



drainage cap for
bottom track



anti-collision rubber for
vertical interlock frame(left)



cap for vertical interlock
frame(top & bottom)



50cm length bottom track roller
(Load-bearing wheels)-2pcs/panel



anti-collision rubber for
vertical interlock frame




brush strip for
bottom track covered




sealing rubber for
vertical interlock frame



covered rubber for
vertical handle frame



water blocking strip for
vertical outer frame



sealing rubber for
vertical outer frame



Electric motor accessories set

Automatic Options:



face recognition access control



human body induction probe automatic
door opening and closing equipment




wireless infrared
air sensor switch



infrared induction
anti-pinch equipment


ZP150 # Motorized Vertical Sliding Window >>>



Product Features:


- ① Maximum width 4.8m, maximum height 2.5m
- ② Two motors, chain drive, wide field of view
- ③ Rain sensor, automatic closing when it rains
- ④ Infrared anti-pinch design, can be equipped with anti-mosquito screens

>>> ZP150 Motorized Vertical Sliding Window // Mei Tong Flying Aluminum




JNW-SJC22A

150 upper frame
Weight: 4.04kg/m




JNW-ZN023

screen cover
Weight: 1.71kg/m




JNW-SJC24A

screen upper frame
Weight: 2.29kg/m




JNW-SJC26A

150 side frame
Weight: 3.34kg/m




JNW-SJC28A

150 side frame transform
Weight: 3.29kg/m




JNW-ZN029

150 side frame cover
Weight: 0.8kg/m




JNW-ZN031

150 handrail
Weight: 3.8kg/m




JNW-SJC33A

150 lower frame
Weight: 2.68kg/m




JNW-ZN032

closing
Weight: 1.82kg/m




JNW-ZN034

clip
Weight: 0.47kg/m




JNW-ZN036

screen frame
Weight: 0.35kg/m




JNW-ZN035

clip
Weight: 0.41kg/m




JNW-ZN037

150 cover
Weight: 1.0kg/m




JNW-ZN030

screen profile
Weight: 1.31kg/m




JNW-ZN038

150 upper frame cover
Weight: 0.85kg/m




JNW-SJC09

glass sash
Weight: 2.25kg/m




JNW-SJC12

glass sash with hook
Weight: 2.58kg/m




JNW-SJC23

strengthen glass sash
Weight: 3.39kg/m




JNW-SJC25

strengthen glass sash with hook
Weight: 3.72kg/m




JNW-SJC31

strengthen glass sash
Weight: 3.25kg/m



JNW-SJC33

strengthen glass sash with hook
Weight: 1.82kg/m



JNW-SJC14

strengthen inner frame
Weight: 1.82kg/m



JNW-SJC039


glass sash
Weight: 2.05kg/m



JNW-SJC041

glass sash with hook
Weight: 2.38kg/m

Assembly Diagram



► Accessories >>>



battery backup



handrail pc cover



opening sash pc cover



lifting arm



motor



intelligent voice sensor



24 power source / controller



100 speed reducer



single – shaft motor / double shaft motor




130+195 # Heavy-Duty Lift Sliding Door >>>



Product Features:


- ① Sound and heat insulation, energy efficient
- ② Lifting sliding for better sealing performance
- ③ Positioned at will, easy to adjust the ventilation area
- ④ Hidden bottom rail floor drain design

Thermal Break Profiles Universal Profiles




JNW-BF923F

double side seal
Weight: 1.93kg/m




JNW-ZT938F

double rail center column
Weight: 2.0kg/m



JNW-BF950F


three-rail side seal
Weight: 2.74kg/m



JNW-ZT954F

triple rail center column
Weight: 2.68kg/m

130+195 Thermal Break Profiles




JNW-TS911F

75 lifting door frame
Weight: 1.79kg/m




JNW-XT914

75 door frame slot
Weight: 0.23kg/m




JNW-XT936

75 vertical door frame with hook
Weight: 0.20kg/m




JNW-TS1281F

90 lifting door frame
Weight: 2.53kg/m




JNW-XT1488

90 door frame slot
Weight: 0.50kg/m



JNW-XT1284

90 vertical door frame with hook
Weight: 0.23kg/m




JNW-TS929F

inside slim vertical door frame
Weight: 1.23kg/m




JNW-TS935F

outside slim vertical door frame
Weight: 0.17kg/m




JNW-TS930F

double vertical door frame with hook
Weight: 0.4kg/m




JNW-TS939F

screen center
Weight: 1.37kg/m




JNW-A-042

60 bale cover
Weight: 0.77kg/m



JNW-A-018

100 bale cover
Weight: 1.05kg/m




JNW-A-016

F strip
Weight: 0.18kg/m




JNW-A-015

p-strip
Weight: 0.18kg/m



D-A470

100 buckle plate
Weight: 0.49kg/m



JNW-XT924F

side seal lock slot
Weight: 0.44kg/m



JNW-XT951


side sealing cover plate
Weight: 0.37kg/m



JNW-XT913D


door clip
Weight: 0.15kg/m

Automatic Profiles




JNW-XT1080F

fixed glass clip
Weight: 0.18kg/m




JNW-XT1008

75 intelligent lock slot
Weight: 0.42kg/m




JNW-XT931F

closing
Weight: 0.66kg/m




JNW-XT863

intelligent double rail top rail
Weight: 1.63kg/m



JNW-XT861

intelligent three-rail top rail
Weight: 2.35kg/m



JNW-XT864

intelligent two-rail additional rail
Weight: 1.82kg/m




JNW-XT937

single vertical door frame with hook
Weight: 0.27kg/m




JNW-XT953

double vertical door frame with hook
Weight: 0.31kg/m




JNW-XT915

diamond mesh sub-frame
Weight: 0.41kg/m




JNW-XT862

intelligent three-rail additional rail
Weight: 3.23kg/m



JNW-XT860

intelligent top rail cover
Weight: 0.50kg/m




JNW-TS918F

lifting double rail top rail
Weight: 2.84kg/m



JNW-XT916

diamond mesh clip
Weight: 0.10kg/m




JNW-XT1217

highly transparent mesh sub-frame
Weight: 0.45kg/m




JNW-XT1218

55 vertical door frame
Weight: 1.82kg/m




JNW-TS921F

lifting two-rail bottom rail
Weight: 3.0kg/m




JNW-TS952F

lifting three-rail top rail
Weight: 4.0kg/m




JNW-TS955F

lifting three-rail bottom rail
Weight: 4.05kg/m



JNW-A-009

two rail flat rail
Weight: 0.89kg/m




JNW-A-020

three rail flat rail
Weight: 1.28kg/m




JNW-XT917

lifting top rail cover plate
Weight: 0.23kg/m



JNW-TS1121F


inner reinforce vertical door frame
Weight: 2.11kg/m



JNW-TS1122F


outside reinforced vertical door frame
Weight: 2.11kg/m

Sinking And Embedded Profiles




JNW-TS1120G

pre-embedded double rail bottom rail
Weight: 0.18kg/m



JNW-TS1519F

pre-embedded three-rail bottom rail
Weight: 0.42kg/m




JNW-XT1119G

pre-embedded sinking hidden drainage
Weight: 0.66kg/m


► Assembly Diagram ►►




Two track




Triple track




**Non-Thermal Break Profiles
Universal Profiles**

JNW-A-007


mesh center cross
Weight: 0.99kg/m


JNW-XT1080F


fixed glass clip
Weight: 0.18kg/m


JNW-A-030


screen frame
Weight: 0.34kg/m


JNW-A-039

inner bottom track frame
Weight: 0.37kg/m


JNW-A-017


closing
Weight: 0.53kg/m


JNW-A-040


bottom rail cover plate
Weight: 0.32kg/m


JNW-A-053


side sealing cover plate
Weight: 0.28kg/m


JNW-A-013


top rail cover plate
Weight: 0.25kg/m


D-A470


100 buckle plate
Weight: 0.538kg/m


JNW-A-042


60 bale cover
Weight: 0.81kg/m


JNW-A-018


100 bale cover
Weight: 1.11kg/m


JNW-A-016


F strip
Weight: 0.19kg/m


JNW-A-015


P-strip
Weight: 0.18kg/m


M949


35x22 grid strip
Weight: 0.294kg/m


GT-061


35x27 grid strip
Weight: 0.30kg/m

130+195 Non-Thermal Break Profiles

JNW-A-035

55 vertical door frame
Weight: 1.82kg/m


JNW-A-041


30 slim vertical door frame
Weight: 1.40kg/m


JNW-A-044


30 slim double vertical door frame with hook
Weight: 1.35kg/m


JNW-A-036


55 single vertical door frame with hook
Weight: 0.43kg/m


JNW-A-037


55 double vertical door frame with hook
Weight: 0.65kg/m


JNW-TS70


70 lifting vertical door frame
Weight: 2.26kg/m


JNW-TS71


elevation add-on material
Weight: 0.30kg/m


JNW-A-027


70 single vertical door frame with hook
Weight: 0.44kg/m


JNW-A-028

70 double vertical door frame with hook
Weight: 0.66kg/m


JNW-A-005


112 vertical door frame
Weight: 1.92kg/m


JNW-A-006


112 vertical door frame
Weight: 2.27kg/m


JNW-A-031


112 single vertical door frame with hook
Weight: 0.50kg/m


JNW-A-032


112 double vertical door frame with hook
Weight: 0.83kg/m

Automatic Profiles

JNW-XT861


Intelligent three-rail top rail
Weight: 2.35kg/m


JNW-XT862

Intelligent three-rail additional rail
Weight: 3.23kg/m


JNW-XT863


Intelligent two-rail top rail
Weight: 1.63kg/m


JNW-XT864


Intelligent two-rail additional rail
Weight: 2.18kg/m


JNW-XT860


Intelligent top rail cover
Weight: 0.50kg/m

Double Track Profile

JNW-A-008


two rails top rail
Weight: 2.07kg/m


JNW-A-038


double rails hidden drainage bottom rail
Weight: 1.68kg/m


JNW-A-009


Double rails flat rail
Weight: 0.89kg/m


JNW-A-014


two rails central column
Weight: 1.77kg/m


JNW-A-011


double rails side seal
Weight: 1.80kg/m


JNW-A-033


two rail side seal (2.0)
Weight: 2.13kg/m


JNW-A-012


two rail side seal cover plate
Weight: 0.74kg/m

Triple Track Profiles

JNW-A-019


three-rail top rail
Weight: 3.04kg/m


JNW-A-043

three-rail hidden drainage bottom rail
Weight: 3.19kg/m



JNW-A-020

three-rail flat rail
Weight: 1.28kg/m




JNW-A-025

three-rail center column
Weight: 2.58kg/m




JNW-A-023

three-rail hidden drainage bottom rail
Weight: 3.09kg/m



JNW-A-034



three-rail side seal (2.0)
Weight: 3.52kg/m





JNW-A-024

three-rail side seal cover
Weight: 1.05kg/m



► Double Track Assembly Diagram ►►




► Assembly Diagram ►►



► Triple Track Assembly Diagram ►►





Accessories



zinc alloy bumpers



thermal break heavy door
high track composite steel wheel
four bottom wheels (15 * 27)



glass fan corner code
(20.6*11.4)



pre-built dust-proof strip for
heavy-duty door(9*78)



central column corner code
(11.3*20.6)



55 special lock metal gray
(without key, left)




70 lifting hardware with key
170kg load capacity




stainless steel dust-proof strip for bottom
rail of thermal break heavy-duty door




195 heavy-duty door special
top wheel (90/102/112 special
upper wheel 28.5 high)



thermal break heavy door
do sealing balcony sliding
window mold (7 head)



130 # Lift Sliding Window >>>



Product Features:


- ① Lifting sliding for better sealing performance
- ② Positioned at will, easy to adjust the ventilation area
- ③ Sound and heat insulation, energy efficient

>>> 130 Lift Sliding Window




Mei Tong Flying Aluminum

Lifting Profiles




JNW-GD925F

lifting top rail
Weight: 2.62kg/m



JNW-GD919F


lifting bottom rail
Weight: 2.48kg/m



JNW-XT917


lifting top rail cover plate
Weight: 0.23kg/m

130 Lift Sliding Window




JNW-BF923F

side seal
Weight: 1.93kg/m




JNW-BF925F

two-fixed, two-activated side seals
Weight: 2.4kg/m



JNW-ZT938F

center column
Weight: 2.0kg/m




JNW-TS1121F

inner strengthen door frame
Weight: 2.11kg/m




JNW-TS911F

75 lifting door
Weight: 1.79kg/m




JNW-TS929F

inside slim vertical door frame
Weight: 1.23kg/m




JNW-CT1564F

drainage conversion for bottom rails
Weight: 0.81kg/m




JNW-CT1566F

thermal break reinforced hook center frame
Weight: 1.94kg/m




JNW-XT1022

two-way reinforced center frame
Weight: 1.80kg/m



JNW-A-042

60 packs
Weight: 0.77kg/m




JNW-XT934F

sinking sealing aluminum strip
Weight: 0.21kg/m




JNW-XT913D

door clip
Weight: 0.15kg/m




JNW-XT931F

closing
Weight: 0.66kg/m




JNW-XT240

glass guardrail
Weight: 0.70kg/m




JNW-A-016

F strip
Weight: 0.18kg/m




JNW-XT1080F

fixing glass door clip
Weight: 0.18kg/m



GD-131

outdoor clip
Weight: 0.16kg/m



JNW-XT926F

indoor cover
Weight: 0.19kg/m




JNW-A-015

P-strip
Weight: 0.18kg/m



GD-014

universal slot cover
Weight: 0.05kg/m




D-A470

100 buckle plate
Weight: 0.49kg/m




JNW-A-012

fixing glass conversion cover plate
Weight: 0.74kg/m




JNW-XT933

treadle cover
Weight: 0.44kg/m




JNW-XT924F

side closure slots
Weight: 0.44kg/m




JNW-XT927

hooked center frame
Weight: 1.31g/m



JNW-XT1023

reinforced hook center frame
Weight: 1.81kg/m




JNW-XT956

bottom rail drainage conversion
Weight: 1.31kg/m




JNW-XT951

side sealing cover plate
Weight: 0.37kg/m




JNW-XT914

75 door slot
Weight: 0.23kg/m




JNW-XT1008

intelligent lock slot
Weight: 0.42kg/m



JNW-XT1185

intelligent top rail
Weight: 2.16kg/m



JNW-XT1186

intelligent top rail additional groove
Weight: 1.78kg/m






JNW-XT860

intelligent top rail cover
Weight: 0.50kg/m

Automatic profiles

► Assembly Diagram ►►



► Accessories ►►



zinc alloy bumpers



thermal break heavy door
high track composite steel wheel
four bottom wheels (15 * 27)




glass fan corner code
(20.6*11.4)



55 special lock metal gray
(without key, left)



central column corner code
(11.3*20.6)



thermal break heavy door
do sealing balcony sliding
window mold (7 head)



70 lifting hardware with key
170kg load capacity



stainless steel dust-proof strip for bottom
rail of thermal break heavy-duty door



195 heavy-duty door special
top wheel (90/102/112 special
upper wheel 28.5 high)

128 # Floating Sliding Window >>>



Product Features:


- ① Suspended design and hidden track, easy to clean.
- ② Embedded frame design, enhance the sealing performance.
- ③ Smooth edge does not hurt hands.
- ④ Outstanding drainage function, maximum 7.5meters.

>>> 128 Floating Sliding Window




Mei Tong Flying Aluminum

Universal Profiles




JNW-CT1461F

upper door frame
Weight: 0.93kg/m




JNW-CT1462F

bottom door frame
Weight: 0.91kg/m




JNW-CT1325F

single vertical door frame with hook
Weight: 0.85kg/m




JNW-CT1325G

double vertical door frame with hook
Weight: 0.91kg/m




JNW-CT1324F

hidden door frame
Weight: 0.79kg/m




JNW-XT1463

mesh door upper frame
Weight: 1.35kg/m




JNW-XT1464

mesh door bottom frame
Weight: 1.30kg/m




JNW-XT1465F

hidden mesh door
Weight: 1.20kg/m




JNW-XT1466F

mesh door with hook
Weight: 1.17kg/m




JNW-XT1671

outside mesh door with hook
Weight: 1.24kg/m




JNW-XT1469

suspended track
Weight: 0.70kg/m



JNW-XT1672


suspended track with woolen strips
Weight: 0.70kg/m


JNW-XT1468


bottom double side frame cover
Weight: 0.38kg/m


JNW-XT1467


bottom single side frame cover
Weight: 0.23kg/m


JNW-XT1331


side frame double cover
Weight: 0.46kg/m


JNW-XT1332F

side frame single cover
Weight: 0.41kg/m


JNW-XT1342

indoor square clip
Weight: 0.30kg/m


GD-131


outdoor clip
Weight: 0.16kg/m


JNW-XT1355F

mesh door clip
Weight: 0.07kg/m


GD-014


universal slot cover
Weight: 0.05kg/m


JNW-XT1333


side frame anti-collision strips
Weight: 0.15kg/m


JNW-XT1334


closing
Weight: 0.31kg/m


JNW-XT389


clothes drying guardrail frame
Weight: 0.50kg/m


JNW-XT263


additional european standard slot
Weight: 0.20kg/m


JNW-XT051F


two-color grid
Weight: 0.40kg/m


GD-036A


integrated grid strip
Weight: 0.37kg/m


JNW-XT1470


handrail
Weight: 1.51kg/m

Double Track Profile

JNW-CT1487F


two-track suspended upper rail
Weight: 2.32kg/m


JNW-CT1459F


two-track suspended bottom rail
Weight: 2.29kg/m


JNW-CT1416F


two rail side seal
Weight: 1.34kg/m


JNW-CT1420F


two-track side frame transform
Weight: 1.40kg/m


JNW-CT1343E


two tracks fixed up and down
Weight: 1.49kg/m


JNW-CT1343G


two rail inner frame
Weight: 1.54kg/m


JNW-CT1676F


two-track suspended bottom rail(landing)
Weight: 2.19kg/m

Triple Track Profiles

JNW-CT1485F


three-track suspended upper rail
Weight: 3.04kg/m


JNW-CT1460F


three-track suspended bottom rail
Weight: 3.07kg/m


JNW-CT1708F


3.0 three-track suspended bottom rail
Weight: 3.87kg/m


JNW-CT1417F


three rail side seal
Weight: 1.70kg/m


JNW-CT1418F


three-track side frame transform
Weight: 1.77kg/m


JNW-CT1329F


three tracks fixed up and down
Weight: 1.94kg/m


JNW-CT1347F


three track inner frame
Weight: 1.99kg/m


JNW-CT1458F


three-track suspended bottom rail(landing)
Weight: 2.97kg/m

Five Track Profiles

JNW-CT1554F


five-track suspended upper rail
Weight: 4.57kg/m


JNW-CT1552F


five-track suspended bottom rail
Weight: 5.85kg/m


JNW-CT1548F


five-track side seal
Weight: 2.50kg/m


JNW-CT1555F


five tracks fixed up and down
Weight: 2.75kg/m


JNW-CT1546F


five tracks center column
Weight: 2.98kg/m


JNW-XT1545


five-track side seal transform outside
Weight: 1.24kg/m


JNW-XT1551


five-track side seal transform inside
Weight: 1.05kg/m


JNW-XT1547


five-track side seal two covers
Weight: 0.70kg/m


JNW-XT1549


five-track side seal three covers
Weight: 1.10kg/m


JNW-XT1550

five-track side seal four covers
Weight: 1.44kg/m


Automatic Profiles

JNW-CT1584F

128 intelligent top rail
Weight: 2.95kg/m



JNW-XT1586

suspended window intelligent upper track additional track
Weight: 1.82kg/m


Triple Track

[illegible]

Five Track



Automatic electric



Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel



120 sliding window drying guardrail pin code (21*14.7)



125 thermal break scenery window center column code (JM-18.55ZH)

40#Medium Narrow Sliding Door>>>



Product Features :


- ① The push and pull process is stable and smooth;
all series of lower rails are upgraded to double-row wheel
- ② Multiple rail scheme: flat rail、higher rail、suspended rail、lifting rail
- ③ A variety of thickness are available; 2.0、3.0、5.0
- ④ Many door frame combinations available; 52mm、65mm、75mm

>>> 40 Medium Narrow Sliding Door




Mei Tong Flying Aluminum

Universal Profiles




KY01-004

double-row wheel bottom rail
Weight: 0.33kg/m




KY01-040

single-row wheel bottom rail
Weight: 0.31kg/m




KY01-010F

suspended clip
Weight: 0.39kg/m




KY01-011

suspended rail cover
Weight: 0.26kg/m




KY01-024

65 door frame closing
Weight: 0.48kg/m




KY01-008

fixed clip
Weight: 0.19kg/m




KY01-026

mesh center cross
Weight: 0.67kg/m




KY01-027

mesh clip
Weight: 0.19kg/m




KY01-047

side seal cover
Weight: 0.19kg/m




KY01-025

suspended rail
Weight: 0.9kg/m




KY01-028

inner F strip
Weight: 0.14kg/m




KY01-029

outer F strip
Weight: 0.16kg/m




JNW-A-042

60 packs
Weight: 0.77kg/m




D-A470

buckle plate
Weight: 0.49kg/m




JNW-XT1442

glass guardrail
Weight: 0.52kg/m



JNW-XT1003


glass guardrail
Weight: 0.50kg/m



KY01-045


bottom rail cover
Weight: 0.24kg/m

Two Track




KY01-043

double-rail top buffer rail
Weight: 1.64kg/m




KY01-001

1.4 double-rail side seal
Weight: 1.25kg/m




KY01-041

2.0 double-rail side seal
Weight: 1.57kg/m




KY01-006

double-rail center column
Weight: 1.21kg/m




KY01-003F

double-rail higher bottom rail
Weight: 1.94kg/m




KY01-038

double-rail single-row wheel flat rail
Weight: 0.46kg/m




KY01-005

double-rail double-row wheel flat rail
Weight: 0.51kg/m



KY01-009


double-rail suspended bottom rail
Weight: 2.32kg/m



KY01-007


double-rail side seal cover
Weight: 0.5kg/m

Three Track



KY01-044

triple-rail buffered top rail
Weight: 2.41kg/m




KY01-014F

triple-rail higher bottom rail
Weight: 2.79kg/m




KY01-016

triple-rail double-row wheel flat rail
Weight: 0.77kg/m




KY01-039

triple-rail single-row wheel flat rail
Weight: 0.71kg/m




KY01-015

triple-rail suspended rail
Weight: 3.04kg/m




KY01-017

triple-rail center column
Weight: 1.7kg/m




KY01-018

triple-rail side seal cover
Weight: 0.72kg/m




KY01-012

triple-rail three-groove side seal 1.4
Weight: 2.17kg/m




KY01-042


triple-rail three-groove side seal 2.0
Weight: 2.62kg/m


KY01-036


triple-rail two-groove side seal 1.4
Weight: 1.91kg/m


KY01-037

triple-rail one-groove side seal 1.4
Weight: 1.73kg/m

52 vertical door frame

KY01-030


3.0-52 vertical door frame
Weight: 1.34kg/m


KY01-034


5.0-52 vertical door frame
Weight: 1.46kg/m


KY01-033


4.0-18 vertical door frame
Weight: 0.85kg/m


KY01-046


4.0-18 strengthen door frame
Weight: 1.62kg/m


KY01-031


52 single vertical door frame with hook
Weight: 0.31kg/m


KY01-032


52 double vertical door frame with hook
Weight: 0.48kg/m

65/75 vertical door frame

KY01-019


2.0-65 vertical door frame
Weight: 1.32kg/m


KY01-020


3.0-65 vertical door frame
Weight: 1.44kg/m


KY01-035


5.0-65 vertical door frame
Weight: 1.64kg/m


KY01-021


3.0-75 vertical door frame
Weight: 1.61kg/m


KY01-049


3.0-75 lifting vertical door frame
Weight: 1.74kg/m


KY01-050


75 lifting vertical door frame lock slot
Weight: 0.28kg/m


KY01-022


65 single vertical door frame with hook
Weight: 0.34kg/m


KY01-023


65 double vertical door frame with hook
Weight: 0.54kg/m

casement door

KY02-001


1.2 door jamb
Weight: 0.76kg/m


KY02-002


1.2 double door jamb
Weight: 0.82kg/m


KY02-003

2.0 door jamb
Weight: 1.04kg/m


KY02-004


2.0 double door jamb
Weight: 1.04kg/m


D-A005A

1.2 vertical door frame
Weight: 0.63kg/m



KY02-005

2.0 vertical door frame
Weight: 0.9kg/m



JNW-A-042

60 packs
Weight: 0.77kg/m




D-A470

buckle plate
Weight: 0.49kg/m



KY01-028


inner F strip
Weight: 0.14kg/m









GT044

10x15 grid strip
Weight: 0.104kg/m

► Assembly Diagram ►
casement door




sliding door



8 MAJOR RAIL SYSTEMS



double rails flat rail
double-row wheel



double rails higher rail
double-row wheel



triple-rails flat rail
double-row wheel



triple-rail higher rail
double-row wheel



double rails suspended rail
double-row wheel



triple-rails suspended rail
double-row wheel



double rails lifting rail
single-row wheel



triple-rails lifting rail
single-row wheel

PROFILE ADVANTAGES



ADVANTAGES OF FLAT RAIL

Track height only 5mm
Ultra-thin design
less likely to trip over people
Fits better with the needs of daily life
Enabling more efficient cleaning



ADVANTAGES OF HIGHER RAIL

Track height 45mm
Excellent sealing performance
Water-proof and dust-proof



ADVANTAGES OF SUSPENDED RAIL

Track height 65mm
Exquisite design
good-looking
Outstanding sealing performance



ADVANTAGES OF LIFTING RAIL

Track height 45mm
Support the lifting function
More efficient and reliable

Accessories



SK514 specific aluminum corner code



corner code / wrapped packs corner code



corner for panel



specific lower pulley



hanging pulley (with buffer)



hanging pulley (with two-way buffer)



hanging pulley (without two-way buffer)



diamond buffer

bidirectional buffer



three door linkage accessories



handle



specific lock (sliver)



corner for panel



corner for panel with screws




side seal hanging rail plug



Anti-collision leather Strip

128 # Scenery Sliding Window >>>



Product Features :


- ① Equipped 3.0 thickness screen sash and bottom rail
- ② Superior drainage system, moveable guardrail
- ③ Six-rail design, 100mm large handrail surface

>>> 128 Scenery Sliding Window




Mei Tong Flying Aluminum

Universal Profiles




JNW-CT1326F

upper door frame
Weight: 0.83kg/m




JNW-CT1327F

bottom door frame
Weight: 0.95kg/m




JNW-CT1325F

single vertical door frame with hook
Weight: 0.85kg/m




JNW-CT1325G

double vertical door frame with hook
Weight: 0.91kg/m



JNW-CT1324F

hidden door frame
Weight: 0.79kg/m



JNW-XT1352

mesh door upper frame
Weight: 1.21kg/m




JNW-XT1353

mesh door bottom frame
Weight: 1.33kg/m




JNW-XT1351F

mesh door with hook
Weight: 1.23kg/m




JNW-XT1350

hidden mesh door
Weight: 1.17kg/m




JNW-XT1331

side seal double cover
Weight: 0.46kg/m



JNW-XT1332F

side seal single cover
Weight: 0.41kg/m




JNW-XT1342

indoor square clip
Weight: 0.30kg/m


GD-131

outdoor clip
Weight: 0.16kg/m


JNW-XT1354


door frame bottom wheel slot
Weight: 0.16kg/m


JNW-XT1355F


mesh door clip
Weight: 0.07kg/m


XTC-ZJ90A


90 corner -90°
Weight: 1.728kg/m


XTC-ZJ130A


130 corner -90°
Weight: 2.80kg/m


XTC-ZJ130B

130 corner -90°
Weight: 1.95kg/m

Four track

JNW-CT1487F


four-rail top rail
Weight: 2.32kg/m


JNW-CT1346F


four-rail bottom rail
Weight: 1.80kg/m


JNW-XT1345


four-rail additional bottom rail
Weight: 0.46kg/m


JNW-XT1333


side seal anti-collision strip
Weight: 0.15kg/m


JNW-XT1334


closing
Weight: 0.31kg/m


JNW-XT389


clothes drying guardrail frame
Weight: 0.50kg/m


JNW-CT1416F


four-rail side seal
Weight: 1.34kg/m


JNW-CT1420F


four-rail side seal conversion
Weight: 1.40kg/m


JNW-CT1343E

four-rail fixed up and down
Weight: 1.49kg/m


JNW-XT263


additional european standard slot
Weight: 0.20kg/m


JNW-XT051F


two-color grid strip
Weight: 0.20kg/m


GD-036A

integrated grid strip
Weight: 0.37kg/m


JNW-CT1343G

four-rail center column
Weight: 1.54kg/m


JNW-CT1346S


four-rail bottom rail (land)
Weight: 1.69kg/m


GD-014

universal slot cover
Weight: 0.05kg/m



JNW-XT1422

bottom rail guard
Weight: 0.09kg/m


XTC-ZJ90B


90 corner -135°
Weight: 1.251kg/m

Six track




JNW-CT1485F

six-rail top rail
Weight: 3.04kg/m




JNW-CT1318F

six-rail bottom rail
Weight: 2.92kg/m




JNW-CT1348F

six-rail bottom rail
Weight: 3.76kg/m




JNW-XT1330

six-rail additional bottom rail
Weight: 0.86kg/m




JNW-CT1417F

six-rail side seal
Weight: 1.70kg/m




JNW-CT1418F

six-rail side seal conversion
Weight: 1.77kg/m




JNW-CT1329F

six-rail fixed up and down
Weight: 1.77kg/m




JNW-CT1347F

six-rail center column
Weight: 1.99kg/m



JNW-CT1357F


six-rail bottom rail
Weight: 2.82kg/m




DZ-822F

handrail
Weight: 1.52kg/m

► Assembly Diagram ►►



Assembly Diagram



Accessories



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel




120 sliding window drying guardrail pin code (21*14.7)




125 thermal break scenery window center column code (JM-18.55ZH)

110 # Thermal Break Sliding Window




Product Features :


- ① High cost-effective, extreme cost control
- ② Can equipped cloth hanger,automatic locking


JNW-CT1236F


top rail
Weight: 1.61kg/m


JNW-CT1159F


bottom rail (1.4)
Weight: 2.18kg/m


JNW-CT1234F


bottom rail (2.0)
Weight: 2.69kg/m


JNW-CT1239F


side seal
Weight: 1.28kg/m


JNW-CT1165F


side seal conversion
Weight: 0.98kg/m


JNW-CT1161F

center column
Weight: 1.29kg/m


JNW-CT1162F


door frame
Weight: 0.92kg/m


JNW-XT1240


mesh door frame
Weight: 0.75kg/m


JNW-XT518

mesh door clip
Weight: 0.12kg/m


JNW-XT1169

double vertical door frame with hook
Weight: 0.41kg/m


JNW-XT1170


side seal double cover
Weight: 0.26kg/m


JNW-XT1171


side seal single cover
Weight: 0.2kg/m


JNW-XT1172


door frame lock slot
Weight: 0.12kg/m


JNW-XT1241


side seal lock slot
Weight: 0.17kg/m


JNW-XT1167


screen cover
Weight: 0.14kg/m


JNW-XT1202


detachable guardrail
Weight: 0.46kg/m


JNW-XT389


clothes drying guardrail frame
Weight: 0.50kg/m


JNW-XT263

additional European standard slot
Weight: 0.20kg/m


JNW-XT1166


indoor clip
Weight: 0.34kg/m


GD-131


outdoor clip
Weight: 0.16kg/m


JNW-XT1168


single vertical door frame with hook
Weight: 0.26kg/m


JNW-XT051F


two-color grid strip
Weight: 0.20kg/m


GD-036A

integrated grid strip
Weight: 0.37kg/m



DZ-714

closing
Weight: 0.24kg/m




GD-014

universal slot cover
Weight: 0.05kg/m




JNW-XT1173

handrail
Weight: 1.06kg/m



ZJ110A




110 corner -90°
Weight: 1.35kg/m



ZJ110B

110 corner -135°
Weight: 1.09kg/m

► Assembly Diagram ►►



► Accessories ►►



110 sliding window drying
guardrail pin code (21*14.7)



110 thermal break scenery window
center column code (JM-18.55ZH)



110 window special
self-tightening 23 high upper
wheel



110 thermal break scenery
window
special lock black (left) nice style



3MM
semicircular stainless steel rail



drilling sealant



sliding window 150kg
load-bearing rubyfour wheels



sliding window special
self-tightening ruby high upper wheel

120-1# Slim Casement Window >>>



Product Features :


- ① Glass: 5+20A+5, Aluminum alloy handle
- ② Can do outside opening fan, very narrow frame
- ③ Sash, glass fan can be done with the same type of handle
- ④ Sash can be made of adamantine and HD Sash

>>> 120-1 Slim Casement Window




Mei Tong Flying Aluminum

► 120-1#Slim Casement Window




JNW-CT1189F

out frame
Weight : 1.89 kg/m




JNW-CT1190F

center column
Weight : 2.12 kg/m




JNW-CT1214F

glass sash A
Weight : 1.34 kg/m




JNW-CT1221F

glass sash B
Weight : 1.43 kg/m




JNW-CT1191F

subframe A
Weight : 1.2 kg/m



JNW-CT1222F

subframe B
Weight : 1.15 kg/m




JNW-XT1192

screen sash
Weight : 0.64 kg/m




JNW-XT518

mesh door clip
Weight : 0.12 kg/m




JNW-XT1193

square clip
Weight : 0.24 kg/m




JNW-XT1194

screen sash subframe
Weight : 0.17 kg/m




JNW-XT11212

skew clip
Weight : 0.29 kg/m



JNW-XT1213


slot for sash clip
Weight : 0.12 kg/m



JNW-XT208


frame splicing strip
Weight : 0.28 kg/m

► Assembly Diagram ►►




materials: 10.00 kg/m²

materials: 10.50 kg/m²




JNW-BK812A

injection molded frame
Weight : 1.69 kg/m




JNW-ZH813A

injection molded center post
Weight : 1.82 kg/m




DZ-CT797F

slim subframe
Weight : 1.55 kg/m



DZ-CT795F

slim glass sash
Weight : 1.36 kg/m




DZ-793

slim screen sash
Weight : 0.59 kg/m




DZ-794

mesh door clip
Weight : 0.09 kg/m




JNW-XT1230

guardrail frame
Weight : 0.12 kg/m




JNW-XT1231

latticework
Weight : 0.20 kg/m




JNW-XT772

bevelled edge clip
Weight : 0.32 kg/m



JNW-XT778

diamond clip
Weight : 0.40 kg/m




JNW-XT780

bent clip
Weight : 0.50 kg/m



GD-014

universal slot cover
Weight : 0.05 kg/m




JNW-XT1009

outside 90° slim corner
Weight : 1.14 kg/m




JNW-XT1010

inside 90° slim corner
Weight : 0.38 kg/m




JNW-XT208

frame splicing strip
Weight : 0.28 kg/m



ZJ110A


110 corner-90°
Weight : 1.42 kg/m



ZJ110B

110 degree corner-135
Weight : 1.13 kg/m

► Assembly Diagram ►►



► Accessories ►►



120 slim outer frame color
injection corner code (26.2*13.2)



120 slim center column inner color
injection corner code (jm16zh*13.2)



side lock (silver) left




side lock (silver) left



large center column machine
(without blade)




13.5*1.0*1.2 stainless steel injection
molding group corner piece



slim frame center column mold 6 molds

110 / 115 — Outward & Inward Casement Window >>>



Product Features :


- ① 8 cavities structure and 6 layers sealing
- ② three options of thickness to choose: 1.8mm,2.0mm,3.0mm
- ③ Vertical isothermal line design
- ④ customized molded thermal insulation strips
- ⑤ Better noise insulation and heat insulation
- ⑥ Excellent water tightness and air tightness performance
- ⑦ Side frame width 115mm, performance upgrade comprehensively

>>> 110 Outward & Inward Casement Window




Mei Tong Flying Aluminum

110#3 Outward Opening Window ▶ Universal Profiles




JNW-HC847A

75 split glass sash
Weight : 1.39 kg/m




JNW-HC771A

70 integrated glass sash
Weight : 1.31 kg/m




JNW-XT778

rhomboid clip
Weight : 0.39 kg/m




JNW-XT768

openable guardrail frame
Weight : 0.35 kg/m




JNW-XT846B

clip
Weight : 0.15 kg/m




JNW-XT051F

two-color grid
Weight : 0.2 kg/m




JNW-XT1009

90° slim corner
Weight : 1.14 kg/m



JNW-XT1010


90° slim corner
Weight : 0.38 kg/m



JNW-XT772


subversive 3 clip
Weight : 0.32 kg/m

▶ 110#3 Outward Opening Window




JNW-BK812A

injection molded frame
Weight : 1.69 kg/m




JNW-ZH813A

injection molded center post
Weight : 1.82 kg/m




JNW-FK773A


outward opening sub-frame
Weight : 1.29 kg/m


JNW-ZT802


strengthen center column
Weight : 3.26 kg/m


JNW-1007


50 screen sash
Weight : 0.62 kg/m


JNW-1011


sash cover
Weight : 0.09 kg/m


JNW-XT770


sash without folded edge
Weight : 0.7 kg/m


JNW-XT769


sash square clip
Weight : 0.16 kg/m


JNW-XT780


bent clip
Weight : 0.5 kg/m


ZJ110A


110 corner-90°
Weight : 1.35 kg/m


ZJ110B


135 degree corner
Weight : 1.08 kg/m


HC235B


center frame for 75 glass sash
Weight : 1.0 kg/m


HC110


sash center frame
Weight : 1.0 kg/m


GD-026


sash center frame
Weight : 0.56 kg/m

110#3 Inward Opening Window

JNW-BK760A


outer frame
Weight : 1.65 kg/m


JNW-ZH762A


center column
Weight : 1.78 kg/m


JNW-HC807A

double inward opening glass sash
Weight : 1.65 kg/m


JNW-XT816

additional european standard groove
Weight : 0.21 kg/m


JNW-XT902


screen sash subframe
Weight : 0.3 kg/m


JNW-XT287


double inside opening sash
Weight : 0.6 kg/m


JNW-XT267


mesh door clip
Weight : 0.15 kg/m


JNW-1006


75 screen sash
Weight : 0.73 kg/m


JNW-1010


75 mesh door clip
Weight : 0.13 kg/m


JNW-XT815

clip
Weight : 0.28 kg/m



JNW-XT811

square clip
Weight : 0.41 kg/m



JNW-XT855

round clip
Weight : 0.4 kg/m

► Assembly Diagram ►►




► Universal Profiles




JNW-CT1860F

Sub frame
Weight : 1.36 kg/m




JNW-CT1776F

Glass sash
Weight : 1.83 kg/m




JNW-XT1780G

Glass sash clip
Weight : 0.20 kg/m



JNW-XT1778

mosquito net
Weight : 0.57 kg/m




JNW-XT1779

mosquito net clip
Weight : 0.08 kg/m



JNW-XT1781

Diagonal clip
Weight : 0.38 kg/m




DZ-L1559

Diagonal clip
Weight : 0.36 kg/m




JNW-XT1867

Diagonal clip
Weight : 0.33 kg/m




JNW-XT772

Diagonal clip
Weight : 0.32 kg/m




JNW-XT1866

Diamond shaped clip
Weight : 0.40 kg/m




JNW-XT778

rhomboid clip
Weight : 0.39 kg/m




JNW-XT780


stretch bending clip
Weight : 0.50 kg/m

**GD-014**


Universal slot cover
Weight : 0.05 kg/m

**JNW-XT1230**


Guardrail frame
Weight : 0.12kg/m

**JNW-XT1231**


Grid strip
Weight : 0.20kg/m

2.0 thickness**JNW-CT1711G**


2.0 Outer Frame
Weight : 1.93 kg/m

**JNW-CT1713G**


2.0 Center Column
Weight : 2.06 kg/m

**JNW-BK812F**


Glue injection frame
Weight : 1.79 kg/m

**JNW-ZH813F**


Glue injection center column
Weight : 1.92 kg/m

3.0 thickness**JNW-BK781F**


3.0 Outer Frame
Weight : 2.15 kg/m

**JNW-ZH783F**



3.0 Center Column
Weight : 2.27 kg/m

**ZJ115A**

115 turns -90 degrees
Weight : 1.48 kg/m


**ZJ115B**

115 corner-135 degrees
Weight : 1.14 kg/m

► Assembly Diagram ►►



► Assembly Diagram ►►



► Accessories ►►



3, 4 sub-frame outside color
face pin corner code (18*18.2)



3, 4 hidden row of center
column corner code(18.4zh*16)left



four drain cover




(germany)
rehus hardware silver left



large center column machine
(without blade)




no.3 110 center column
milling cutter (set of 4 cutters)



no. 3 and no. 4 corner hole
stamping dies (8 heads)

90-1# New Casement Window >>>



Product Features :


- ① Ultra-narrow visible surface, customized molded thermal insulation strips, three major series, dozens of opening programmes.
- ② Excellent water tightness and air tightness performance
- ③ multi-cavity structure design, outstanding thermal insulation function, new floor drainage system.

>>> 90-1 New Casement Window




Mei Tong Flying Aluminum

► Universal Aluminium Profiles




JNW-CT1249D

outer frame
Weight : 1.84kg/m




JNW-CT1251D

center column
Weight : 1.87 kg/m




JNW-CT1738F

strengthen center column
Weight : 2.42 kg/m




JNW-XT1737F

large glass square clip
Weight : 0.34 kg/m




JNW-XT1739

bending clip
Weight : 0.59 kg/m




JNW-XT1741F

large glass square clip
Weight : 0.36kg/m




DZ-014

bending clip screw cover
Weight : 0.05 kg/m



JNW-XT1721


double glass bevel edge clip
Weight : 0.29 kg/m



JNW-XT1729

three glass sash double thermal break clip
Weight : 0.27 kg/m

► 65 Medium Narrow Glass Sash Series – Double inward Opening




JNW-CT1254E

65 medium narrow double inner open glass sash
Weight: 1.52kg/m




JNW-XT267

65 medium narrow sash clip
Weight: 0.15kg/m




JNW-XT1256F


65 medium narrow sash
Weight: 0.62kg/m


JNW-XT1677


65 glass door double inward open double glass clip
Weight: 0.17kg/m


JNW-XT1678

65 double inner open three glass sash
double thermal break clip
Weight: 0.15kg/m

► 55 Slim Glass Sash Series –Double inward Opening

JNW-CT1720F


55 ultra narrow double inner open glass sash
Weight :1.23 kg/m


JNW-XT1718


55 ultra narrow double inner open glass sash
Weight : 0.5 kg/m


JNW-XT518


55 ultra narrow double inner open glass sash clip
Weight : 0.15 kg/m


JNW-XT1732F


55 ultra narrow double inner open
double glass sash clip
Weight : 0.16 kg/m


JNW-XT1731F


55 double inner open three glass sash
double thermal break clip
Weight : 0.12 kg/m

► 55 Slim Glass Sash Series – Single inward Opening

JNW-CT1716F


55 ultra narrow single inner open sash
Weight :1.48 kg/m


JNW-XT1717F


55 single inner open double glass sash clip
Weight : 0.23 kg/m


JNW-XT1715F


55 single inner open three glass sash
double thermal break clip
Weight : 0.2 kg/m

► 65 Medium Narrow Glass Sash Series – Single inward Opening

JNW-CT1255F


65 medium narrow single inner open glass sash
Weight: 1.81kg/m


JNW-XT1676


65 single inner open three glass sash
double thermal break clip
Weight: 0.21kg/m


JNW-XT1675


65 single inner open double glass clip
Weight: 0.23kg/m

► 90 Glass Sash Series–Single outward Opening

JNW-CT1736F


90 single outward open glass door
Weight :2.18 kg/m


JNW-CT1733F

90 outward open subframe
Weight : 1.5 kg/m


JNW-XT1676

65 single outward open three glass sash
double thermal break clip
Weight : 0.21 kg/m



JNW-XT1675

65 single inner open double glass clip
Weight : 0.23 kg/m


► 90 Glass Sash Series –Single inward Opening Door or Counter Door

JNW-CT1272F

90 single inward open door
Weight : 2.29 kg/m



JNW-CT1271F

double door closing
Weight : 1.46 kg/m


JNW-XT1676

90 three glass sash double
thermal break clip
Weight : 2.29 kg/m


► Assembly Diagram ►►



JNW-XT1675


90 double glass clip
Weight : 0.23 kg/m

► Micro Ventilation Double inward Opening Casement



JNW-CT1723F

micro ventilation sash
Weight : 1.3 kg/m




JNW-XT1718

55 ultra narrow double inner open glass sash
Weight : 0.5 kg/m



JNW-XT518


55 ultra narrow double inner open glass sash clip
Weight : 0.15 kg/m



FG100A


micro ventilation square tube
Weight : 1.18 kg/m

► Horizontal - pushing window




JNW-CT1728F

flat sliding door
Weight : 1.9 kg/m



JNW-CT1725F

flat sliding sub-frame
Weight : 1.74 kg/m



JNW-XT1727

flat sliding double inner glass clip
Weight : 0.18 kg/m



90 glass sash
(double inward open window)





100 glass sash
(double inward open window)




110 glass sash
(double inward open window)

customized molded thermal insulation strips, three major series

► Assembly Diagram ►►



► Accessories ►►



126 # Side Pressure Sealed Window >>>




Product Features :

- ① Adopting innovative floor drain drainage system.
- ② Equipped with inward opening mesh, folding hidden mesh and glass guardrail.
- ③ Combine the convenience of sliding windows and the sealing of casement windows.

>>> 126 Side Pressure Sealed Window




Mei Tong Flying Aluminum




JNW-CT1568F

outer frame
Weight: 1.98kg/m




JNW-CT1570F

center column
Weight: 2.07kg/m




JNW-CT1573F

strengthen center column
Weight: 2.04kg/m




JNW-CT1571F

center column
Weight: 1.50kg/m




JNW-CT1575F

68 glass sash
Weight: 1.65kg/m




JNW-XT1646

mesh sub-frame
Weight: 0.52kg/m




JNW-XT1224

47 screen sash
Weight: 0.98kg/m




JNW-XT518

mesh clip
Weight: 0.12kg/m



JNW-XT1580

top guide rail
Weight: 0.49kg/m



JNW-XT1579

bottom guide rail
Weight: 0.39kg/m




JNW-XY1577

inner baffle
Weight: 0.16kg/m




JNW-XT1576

outer baffle
Weight: 0.31kg/m




JNW-XT1581

cover for center column
Weight: 0.11kg/m




JNW-XT1476F

glass sash with hook
Weight: 0.29kg/m




JNW-XT1454

glass sash clip
Weight: 0.18kg/m



JNW-XT1433

fixed clip
Weight: 0.2kg/m




JNW-XT1648

skew clip
Weight: 0.37kg/m



JNW-XT1583

side seal cover
Weight: 0.11kg/m




JNW-XT1578

side seal lock slot
Weight: 0.38kg/m




JNW-XT1582F

glass sash lock slot
Weight: 0.24kg/m




JNW-XT1651

fixed guardrail frame
Weight: 0.38kg/m




JNW-XT1652

side seal
Weight: 0.08kg/m




JNW-XT1647F

closing
Weight: 0.76kg/m




JNW-XT1231

grid strip
Weight: 0.20kg/m




JNW-XT1442

glass guardrail
Weight: 0.52kg/m



JNW-XT1003

glass guardrail
Weight: 0.50kg/m




126 side pressure door



126 side pressure window


► Assembly Diagram ►►

126 side pressure door




► Assembly Diagram ►►

126 side pressure window




100 # Drifting Sliding Window >>>



Product Features :


- ① Unique sliding opening method, does not occupy indoor space, avoids the trouble of accidental collisions.
- ② Extrusion type of closure, waterproof and more sealed.
- ③ Equipped with mosquito net as standard.

>>> 100 Drifting Sliding Window




JNW-CT1587F

drifting side frame
Weight: 1.72kg/m




JNW-CT1589F

drifting center column
Weight: 1.865kg/m




JNW-CT1590F

drifting sub-frame
Weight: 1.18kg/m




JNW-CT1592F

drifting glass sash
Weight: 1.52kg/m




JNW-XT1594

glass sash clip
Weight: 0.21kg/m




JNW-XT1599

screen sash
Weight: 0.69kg/m




DZ-1118

mesh clip
Weight: 0.1kg/m




JNW-XT1650

guardrail frame
Weight: 0.23kg/m




JNW-XT1596

drifting window vertical lock slot
Weight: 0.41kg/m




JNW-XT1579F

opening horizontal clip
Weight: 0.43kg/m




JNW-XT1598

opening vertical clip
Weight: 0.34kg/m




JNW-XT1595

drifting window top guide rail
Weight: 0.11kg/m




JNW-XT1600

inner opening sash transfer groove
Weight: 0.23kg/m



JNW-XT1644

accessories level
Weight: 0.11kg/m




JNW-XT1645

top and bottom wheel level
Weight: 0.18kg/m




JNW-XT051F

two-color grid strip
Weight: 0.20kg/m



GD-036A

integrated grid strip
Weight: 0.37kg/m




JNW-XT1003

glass guardrail
Weight: 0.5kg/m



► Assembly Diagram ►►





Alex Wan



Wechat

(+86)13507090802



WhatsApp



Michael Hua



Wechat

(+86)15302856248



WhatsApp



TikTok



Kelly



Wechat

(+86)13724616416



WhatsApp



Max Xie



Wechat

(+86)15363626400



WhatsApp



Jackt



Wechat

(+86)18928577987


Mei Tong Flying Aluminum
 Guang Dong Mei Tong Flying Aluminum Co.,Ltd

www.meitongflying.com

E-mail address : meitongflyaluminum@foxmail.com

Address : LaiMeiTong Aluminium industry, Yong'an Avenue, Guanyao Town, Nanhai District, Foshan City, Guangdong Province, China.


**Mei Tong
Flying Aluminum**

20 YEARS
 FOR INTERIOR DOORS
 INDUSTRY



Research & Development &
 Warehouse Base For High-End
 Intelligent Doors And Windows Aluminum Profiles



Six reasons to choose MeiTong Flying Aluminum Co., Ltd

Cutting-edge design technology, leading the market trend benchmark.

PREFORM EXTRUSION

We have independently constructed 50 extrusion lines to produce raw materials with high standards in a fully automated system! MeiTong Flying Aluminum guarantees your products will be worry-free!

SPOT GOODS STOCK

With a stock of 12000 tons aluminum profiles, we are always ready to safeguard our customers! Enabling customers to achieve zero-inventory operation! MeiTong Flying Aluminum helps you save capital!

PRODUCT ACCESSORIES

Our company not only supplies aluminum profiles, but also has all the necessary hardware accessories for all our products, even machinery and equipment. Everything is available! You don't need to search everywhere for accessories after finding the materials. MeiTong Flying Aluminum enables you to get new products all in one step!

SURFACE SPRAYING

Independently constructing 10 surface production lines. We offer all customers the best, fastest, and most cost-effective diversified products! MeiTong Flying Aluminum equips you with the most competitive products!

PRODUCT RESEARCH AND DEVELOPMENT

The company has adhered to a product renewal plan for 10 years like clockwork. With twice-yearly products updates and upgrades, all customers can concentrate wholeheartedly on the windows and doors business. There is no need to worry about not being able to find good products. MeiTong Flying Aluminum saves you the trouble!

TECHNOLOGY SUPPLY

The company has a large number of designers and technicians in reserve! We can provide online assistance or on-site technical services to solve the technical problems in product production, installation and training for all new and old customers at the fastest speed!



GOOD-LOOKING, AIRTIGHT AND SAFE.
PRACTICAL, STYLISH AND
AESTHETICALLY PLEASING.



Company Profile

MeiTong Flying Aluminum Co., Ltd combines the resources and advantages of the 9 branch companies of MeiTong ShiDai Group, taking the foreign trade business as our mission. It specializes in the wholesale of high-end product aluminum profiles and finished products such as system doors and windows, side pressure sealed window, floating sliding window, casement window, panoramic door, heavy-duty lifting sliding door, swing door, luxury sunroom and so on.

"Let outstanding door and window enterprises become our customers and let our customers become outstanding door and window enterprises" is our precise positioning for our company products.

Our powerful product development team survey the global development direction of door and window systems, grasps the core requirements of customers and leads the trend of the times.



Mei Tong Flying Aluminum

300+ SELF-DEVELOPED PATENTS CERTIFIED
ENSURING PRODUCT QUALITY



CUTTING-EDGE DESIGN TECHNOLOGY



Mei Tong Flying Aluminum



PRODUCT CATALOG

40 Nice system 05

Hanging sliding door profiles	08
Embedded plaster profiles	12
Sliding door profile	15
Pocket door profile	20
Folding door profile	26
4013 Swing door profile	30
4010 Swing door profile	33
PT door profile	38

40 Perfect system 41

Hanging sliding door profiles	43
Sliding door profile	47
Swing door profile	51
Folding door profile	56
Pocket door profile	59
Pivot door profile	63

35/40 Ultimate system 65

Hanging sliding door profiles	69
-------------------------------	----

Sliding door profiles	73
Swing door profile	79
Ghost door profile	85
French vintage door profile	87

45 Elegant system 93

Hanging sliding door profiles	97
Sliding door profile	100
Swing door profile	105
Ghost door profile	111
Pivot door profile	114
Pocket door profile	116
French vintage door profile	119
Partitions series profile	123

3550 Medium narrow system 125

Hanging sliding door profiles	128
Sliding door profiles	131
Swing door profiles	136



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne



Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray Elegant porcelain black Elegant porcelain cocoa white Elegant porcelain cocoa gray Moonlight gray Graphite gray




Universal profiles




DX-97A

13 vertical door frame
Weight: 0.590kg/m
Thickness : 2.3mm




DX-100A

16 vertical door frame
Weight: 0.790kg/m
Thickness : 2.3mm




DX7A

13 straight door frame
Weight: 0.251kg/m
Thickness : 1.5mm




DX-98

13 rounded door frame
Weight: 0.979kg/m
Thickness : 1.5mm




DX-99

13 door frame with hook
Weight: 0.266kg/m
Thickness : 1.5mm




DX-101

16 straight door frame
Weight: 0.281kg/m
Thickness : 1.5mm




DX-104

16 rounded door frame
Weight: 0.261kg/m
Thickness : 1.5mm




DX-105

16 door frame with hook
Weight: 0.295kg/m
Thickness : 1.5mm




DX44

13 corner
Weight: 0.305kg/m
Thickness : 1.5mm




DX9A

13 closing
Weight: 0.280kg/m
Thickness : 1.5mm




DX-109

16 corner
Weight: 0.317kg/m
Thickness : 1.5mm




DX-106


16 closing
Weight: 0.309kg/m
Thickness : 1.5mm


DX-83


Top door frame
Weight: 0.788kg/m
Thickness : 2.0mm


DX10

Bottom door frame
Weight: 0.686kg/m
Thickness : 1.9mm


DX18A


Trim
Weight: 0.382kg/m
Thickness : 1.5mm


DX-114


Trim
Weight: 0.286kg/m
Thickness : 1.0mm


DX28


F strip
Weight: 0.133kg/m
Thickness : 1.5mm


DX-72


Door trim profile
Weight: 0.459kg/m
Thickness : 2.3mm


DX-113

Trim
Weight: 0.494kg/m
Thickness : 1.0mm


DX-103

Trim
Weight: 0.576kg/m
Thickness : 1.4mm


D-A470P


Door casing profile
Weight: 0.484kg/m
Thickness : 0.8mm


DX21


F strip
Weight: 0.125kg/m
Thickness : 1.5mm




Hanging sliding door profiles


DX-88


Single hanging track
Weight: 0.978kg/m
Thickness : 1.8mm


DX-89


Double hanging track
Weight: 1.799kg/m
Thickness : 1.8mm


DX-90


Triple hanging track
Weight: 2.525kg/m
Thickness : 1.8mm


DX-52


Side hanging track
Weight: 1.780kg/m
Thickness : 2.5mm


DX2


Pocket door track
Weight: 1.966kg/m
Thickness : 2.5mm


DX14B


Hanging track vertical cover
Weight: 0.192kg/m
Thickness : 1.4mm


DX16


Hanging track middle cover
Weight: 0.190kg/m
Thickness : 1.1mm


DX15


Hanging track side cover
Weight: 0.093kg/m
Thickness : 1.1mm


DX17


Hanging track side cover
Weight: 0.153kg/m
Thickness : 1.1mm


DX-94


Single side seal
Weight: 0.430kg/m
Thickness : 1.1mm


DX-95

Double side seal
Weight: 0.722kg/m
Thickness : 1.1mm


DX-96


Triple side seal
Weight: 1.037kg/m
Thickness : 1.1mm





DX-110

Four side seal
Weight: 1.585kg/m
Thickness : 1.3mm

Assembly Drawing



Assembly Drawing





Common Hardware



SK703 Stainless Steel
Miter Screws
(for Flat Materials)



BT103 wrapped pack
corner code (9*9.2)



Corner Connector
(7.3*1.4)



Corner Connector with
Screws (14.6*1.8)



Nice Closing and Corner
Magnetic Strips (4.4*2.8)



(3.4*4) wool Strip



Nice Track Magnetic
Strips (8.35*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying
Glass Adhesive



Nice System Regular
Tian Lock



Nice System Handle



Side Hanging Rail
Plastic Cover Plate



Nice System Double-Damping
Hanging Wheel
(Regular Version)



DX115 Three-Connected
Hanging Sliding




DX115 Four-Connected
Hanging Sliding



Nice System +0
Small Accessories




Embedded plaster profiles




DX-60

Plaster single track profile
Weight: 1.745kg/m
Thickness : 2.0mm




DX-61

Plaster double track profile
Weight: 2.136kg/m
Thickness : 2.0mm




DX-62

Plaster triple track profile
Weight: 2.673kg/m
Thickness : 2.0mm




DX-88

Single hanging track
Weight: 0.978kg/m
Thickness : 1.8mm




DX-89

Double hanging track
Weight: 1.799kg/m
Thickness : 1.8mm




DX-90

Triple hanging track
Weight: 2.525kg/m
Thickness : 1.8mm




DX-86

Plaster side cover
Weight: 0.139kg/m
Thickness : 0.7mm




DX-87

Plaster middle cover
Weight: 0.231kg/m
Thickness : 0.7mm



DX16


Hanging track middle cover
Weight: 0.190kg/m
Thickness : 1.1mm




DX15

Hanging track side cover
Weight: 0.093kg/m
Thickness : 1.1mm

Assembly Drawing




Common Hardware






Sliding door profile




DX-91A

Single upper track
Weight: 0.769kg/m
Thickness : 1.0mm




DX-92A

Double upper track
Weight: 1.287kg/m
Thickness : 1.0mm




DX-93A

Triple upper track
Weight: 1.714kg/m
Thickness : 1.0mm



DX-111A

Four upper track
Weight: 2.178kg/m
Thickness : 1.5mm



DX48

Single bottom track
Weight: 0.268kg/m
Thickness : 1.8mm




DX-55

Double bottom track
Weight: 0.518kg/m
Thickness : 2.0mm




DX-56

Triple bottom track
Weight: 0.747kg/m
Thickness : 2.0mm




DX-112

Four bottom track
Weight: 0.976kg/m
Thickness : 1.3mm




DX47A

Sliding side and middle cover
Weight: 0.113kg/m
Thickness : 1.1mm




DX-94

Single side seal
Weight: 0.430kg/m
Thickness : 1.1mm




DX-95

Double side seal
Weight: 0.722kg/m
Thickness : 1.1mm




DX-96

Triple side seal
Weight: 1.037kg/m
Thickness : 1.1mm



DX-110


Four side seal
Weight: 1.585kg/m
Thickness : 1.3mm







DX16

Hanging track middle cover
Weight: 0.190kg/m
Thickness : 1.1mm

Assembly Drawing



Assembly Drawing



Common Hardware



SK703 Stainless Steel
Miter Screws
(for Flat Materials)



BT103 wrapped pack
corner code (9*9.2)



Corner Connector
(7.3*1.4)



Corner Connector with
Screws (14.6*1.8)



Nice Closing and Corner
Magnetic Strips (4.4*2.8)



(3.4*4) wool Strip



Nice Track Magnetic
Strips (8.35*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying
Glass Adhesive



Nice System Regular
Tian Lock



Nice System Handle



Low-Rail Round-
Cap Stainless Steel
Guide Rail




Self-Adhesive Groove-Free
Stainless Steel Guide Rail



COLOR CARD




Pocket door profile




DX-85

Top door frame
Weight: 0.752kg/m
Thickness : 2.0mm




DX10

Bottom door frame
Weight: 0.686kg/m
Thickness : 1.9mm




DX2

Pocket door track
Weight: 1.966kg/m
Thickness : 2.5mm




DX16

Hanging track middle cover
Weight: 0.190kg/m
Thickness : 1.1mm




DX15

Hanging track side cover
Weight: 0.093kg/m
Thickness : 1.1mm




DX17

Hanging track side cover
Weight: 0.153kg/m
Thickness : 1.1mm




DX-94

Single side seal
Weight: 0.430kg/m
Thickness : 1.1mm




DX-95

Double side seal
Weight: 0.722kg/m
Thickness : 1.1mm




DX-96

Triple side seal
Weight: 1.037kg/m
Thickness : 1.1mm



DX-110


Four side seal
Weight: 1.585kg/m
Thickness : 1.3mm




DX20

Pocket F strip
Weight: 0.513kg/m
Thickness : 1.5mm



Assembly Drawing



Assembly Drawing



Assembly Drawing



Common Hardware



SK703 Stainless Steel
Miter Screws
(for Flat Materials)



BT103 wrapped pack
corner code (9*9.2)



Corner Connector
(7.3*1.4)



Corner Connector with
Screws (14.6*1.8)



Nice Closing and Corner
Magnetic Strips (4.4*2.8)



(3.4*4) wool Strip



Nice Track Magnetic
Strips (8.35*1.59)



BF113 Side Seal Strip



N-998 Quick-Drying
Glass Adhesive



Nice System Regular
Tian Lock



Nice System Handle



Pocket Door Handle



Nice System Pocket Door
Accessories (Assembly)



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne



Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray Elegant porcelain black Elegant porcelain cocoa white Elegant porcelain cocoa gray Moonlight gray Graphite gray



Folding door profile




DX9A

13 closing
Weight: 0.280kg/m
Thickness : 1.5mm




DX-85

Folding door upper and bottom door frame
Weight: 0.752kg/m
Thickness : 2.0mm




DX10

Bottom door frame
Weight: 0.686kg/m
Thickness : 1.9mm




DX-88

Single hanging track
Weight: 0.978kg/m
Thickness : 1.8mm




DX14B

Hanging track vertical side cover
Weight: 0.192kg/m
Thickness : 1.4mm



DX15


Hanging track side cover
Weight: 0.093kg/m
Thickness : 1.1mm




DX17

Hanging track side cover
Weight: 0.153kg/m
Thickness : 1.1mm

Assembly Drawing



Common Hardware





COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne



Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray Elegant porcelain black Elegant porcelain cocoa white Elegant porcelain cocoa gray Moonlight gray Graphite gray




4013 Swing door profile




DX-115

Door frame
Weight: 0.764kg/m
Thickness : 5.0mm




DX-119

Door frame
Weight: 0.432kg/m
Thickness : 1.4mm




DX-116

Push in door jamb
Weight: 0.591kg/m
Thickness : 1.2mm




DX-117

Negative casing frame
Weight: 0.594kg/m
Thickness : 1.2mm



DX-118

F strip
Weight: 0.067kg/m
Thickness : 0.9mm



D-A470P



Door casing profile
Weight: 0.484kg/m
Thickness : 0.8mm



DX-114

Trim
Weight: 0.286kg/m
Thickness : 1.0mm

Assembly Drawing



Common Hardware



DX115 Aluminum Corner
Code for vertical door frame
(3.3*23.45)



BT103 Wrapped
Pack Corner Code
(9*9.2)



DX116 Outer
Frame Corner
Code



DX115 Swing Door
Lock



40 External Hinges



Plastic for Hinged
Door Packaging
(without Straps)



Corner Connector
with Screws
(14.6*1.8)



Corner
Connector
(7.3*1.4)



D-A622 Top and
Bottom Hinges (Left)




D-A622 Top and
Bottom Hinges (Right)




D-A624 Bolt Lock

4010 Swing door profile




D-A622

Door frame
Weight: 0.827kg/m
Thickness : 2.0mm




D-A623

Bottom door frame
Weight: 0.865kg/m
Thickness : 2.0mm




D-A625B

Push in door jamb
Weight: 1.135kg/m
Thickness : 1.8mm




D-A626

Plaster frame
Weight: 0.849kg/m
Thickness : 1.8mm




D-A633

Buffer upper horizontal frame
Weight: 1.013kg/m
Thickness : 1.6mm




D-A617A

Buffer vertical frame
Weight: 0.787kg/m
Thickness : 1.8mm




D-A632B

Buffer frame casing line
Weight: 0.44kg/m
Thickness : 1.5mm




D-A621B

Buffer plaster frame
Weight: 0.160kg/m
Thickness : 1.8mm




D-A619

F strip
Weight: 0.223kg/m
Thickness : 1.0mm




D-A624

Closing
Weight: 0.883kg/m
Thickness : 1.5mm



DX18A


Trim
Weight: 0.382kg/m
Thickness : 1.5mm



D-A470P


Door casing profile
Weight: 0.484kg/m
Thickness : 0.8mm

Assembly Drawing





Assembly Drawing




Common Hardware





COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne



Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray Elegant porcelain black Elegant porcelain cocoa white Elegant porcelain cocoa gray Moonlight gray Graphite gray




PT door profile




DX-76

Frame
Weight: 0.465kg/m
Thickness : 1.2mm




DX-77

PT upper track
Weight: 0.761kg/m
Thickness : 1.6mm




DX-78

Upper door frame
Weight: 0.289kg/m
Thickness : 2.0mm




DX-79

Bottom door frame
Weight: 0.261kg/m
Thickness : 1.2mm




DX-80

Door frame with hook
Weight: 0.333kg/m
Thickness : 1.2mm



DX-81




Door frame
Weight: 0.509kg/m
Thickness : 1.2mm



DX-82

Upper track linker
Weight: 0.125kg/m
Thickness : 1.1mm

Assembly Drawing



Common Hardware



PT Door Hardware Assembly (Left)



PT Door Hardware Assembly (Right)



DX76 Magnetic Stripe (12.4*3.2 with Rubber Coating)



DX77 Magnetic Stripe (12*3.8)



DX-76 Sealing Strip



DX-77 Top Rail Strip



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Universal profiles



SK732A

Vertical door frame
Weight: 0.446kg/m
Thickness: 1.5mm




SK733A

Vertical door frame
Weight: 0.470kg/m
Thickness: 1.5mm




SK734A

Vertical door frame
Weight: 0.493kg/m
Thickness: 1.5mm




SK727

Vertical door frame
Weight: 0.486kg/m
Thickness: 1.5mm




OPK-A203-40

Door frame
Weight: 0.226kg/m
Thickness: 1.5mm




OPK-204-40

Door frame with hook
Weight: 0.279kg/m
Thickness: 1.5mm




OPK-A229

Door frame
Weight: 0.232kg/m
Thickness: 1.5mm




SK794

Door frame with hook
Weight: 0.232kg/m
Thickness: 1.5mm




SK661

45 degrees corner
Weight: 0.316kg/m
Thickness: 1.0mm




SK731A

Top and bottom door frame
Weight: 0.772kg/m
Thickness: 1.5mm




SK728

Top and bottom door frame
Weight: 0.691kg/m
Thickness: 1.5mm




SK598

Closing
Weight: 0.229kg/m
Thickness: 1.3mm



SK599

Closing
Weight: 0.473kg/m
Thickness : 1.0mm




BT060

Door casing profile
Weight: 0.627kg/m
Thickness : 0.8mm




D-A550

F strip
Weight: 0.088kg/m
Thickness : 1.0mm




OPK-A101H

Single hanging track
Weight: 1.292kg/m
Thickness: 2.5mm




SG198

Double hanging track
Weight: 2.322kg/m
Thickness: 2.5mm




SG199

Triple hanging track
Weight: 3.389kg/m
Thickness: 2.5mm




BT070H

Trim
Weight: 0.407kg/m
Thickness : 1.2mm




BT069

Trim
Weight: 0.424kg/m
Thickness : 1.2mm




BT058H

Trim
Weight: 0.345kg/m
Thickness : 1.2mm



OPK-A102H

High hanging track
Weight: 1.405kg/m
Thickness : 2.5mm




D163A

Middle cover
Weight: 0.159kg/m
Thickness: 1.4mm




D162A

Hanging track side cover
Weight: 0.098kg/m
Thickness: 1.4mm



BT068H

F strip
Weight: 0.44kg/m
Thickness : 1.5mm



S015

F strip
Weight: 0.139kg/m
Thickness : 1.0mm




D-A470

Door casing profile
Weight: 0.488kg/m
Thickness : 0.8mm



SG232

Hanging track vertical cover
Weight: 0.195kg/m
Thickness : 1.0mm



D161A


Hanging track vertical cover
Weight: 0.178kg/m
Thickness : 1.0mm



SG209


Hanging track vertical cover
Weight: 0.242kg/m
Thickness : 1.2mm

Hanging sliding door profiles




OPK-A123

Low single hanging track
Weight: 1.010kg/m
Thickness: 2.3mm




OPK-A124-40

Low double hanging track
Weight: 1.843kg/m
Thickness: 2.3mm




OPK-A125-40

Low triple hanging track
Weight: 1.883kg/m
Thickness: 2.3mm




BF143

Single side seal
Weight: 0.500kg/m
Thickness : 1.2mm




BF149

Double side seal
Weight: 0.865kg/m
Thickness : 1.2mm




BF150

Triple side seal
Weight: 1.208kg/m
Thickness : 1.3mm




BF155

Four side seal
Weight: 1.69kg/m
Thickness : 1.4mm



BF153



Side seal cover
Weight: 0.090kg/m
Thickness : 1.2mm



OPK-A308A

Cancealed track cover
Weight: 0.174kg/m
Thickness : 1.0mm

Assembly Drawing



Common Hardware



Fastener



Perfect handle



Molding for locating holes



Htanging roller set




Hanging roller set
with linkage




Sliding door roller set

Sliding door profile




OPK-A112H

Single top track
Weight: 0.763kg/m
Thickness : 1.2mm




SG200

Double top track
Weight: 1.228kg/m
Thickness: 1.2mm




SG201

Triple top track
Weight: 1.883kg/m
Thickness: 1.3mm




OPK-A322-40

Side cover
Weight: 2.322kg/m
Thickness: 2.5mm




XG136

Single bottom track
Weight: 0.312kg/m
Thickness: 1.2mm




XG137

Double bottom track
Weight: 0.526kg/m
Thickness: 1.2mm




XG138

Triple bottom track
Weight: 0.74kg/m
Thickness: 1.2mm




OPK-A312

Side cover
Weight: 0.063kg/m
Thickness: 1.4mm




OPK-A311-40

Middle cover
Weight: 0.106kg/m
Thickness: 1.0mm




BF143

single side seal
Weight: 0.500 kg/m
Thickness: 1.2mm




BF149

Double side seal
Weight: 0.865kg/m
Thickness: 1.2mm




BF150

Triple side seal
Weight: 1.208kg/m
Thickness: 1.3mm



BF155



Four side seal
Weight: 1.69kg/m
Thickness : 1.4mm



BF153

Side seal cover
Weight: 0.090kg/m
Thickness : 1.2mm

Assembly Drawing





Common Hardware



Fastener



Perfect handle



Molding for locating holes



Htanging roller set



Hanging roller set
with linkage



Sliding door roller set



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Swing door profile




SK599

Closing
Weight: 0.473kg/m
Thickness : 1.0mm




D-A550

F strip
Weight: 0.088kg/m
Thickness : 1.0mm




BT058H

Trim
Weight: 0.345kg/m
Thickness : 1.2mm




D-A563H

Push in door jamb
Weight: 0.800kg/m
Thickness : 1.2mm




D-A613

Push in door jamb
Weight: 0.756kg/m
Thickness : 1.2mm




D-A566

Push in door jamb
Weight: 0.609kg/m
Thickness : 1.2mm




D-A562

Push in door jamb
Weight: 0.841 kg/m
Thickness: 1.2mm



BT056





Door casing with trim
Weight: 1.078kg/m
Thickness: 1.1mm







BT057

Door casing with trim
Weight: 1.589kg/m
Thickness: 1.3mm

Assembly Drawing



Assembly Drawing



Common Hardware



Fastener



Swing door lock



40 system air hinge (not divided into left and right)



Side hidden two-dimensional hinge




Perfect air hinge base



COLOR CARD




Folding door profile




OPK-A101H

Single hanging track
Weight: 1.292kg/m
Thickness: 2.5mm




SG232

Hanging track vertical cover
Weight: 0.195kg/m
Thickness: 1.0mm




D163A

Middle cover
Weight: 0.159kg/m
Thickness: 1.4mm




D162A

Side cover
Weight: 0.098kg/m
Thickness: 1.4mm




SK731A

Top and bottom door frame
Weight: 0.772kg/m
Thickness: 1.5mm



OPK-A350

Folding door sub-profile
Weight: 0.213kg/m
Thickness: 1.2mm




OPK-A224

Folding door frame
Weight: 0.271kg/m
Thickness: 1.5mm




OPK-A203-40

Door frame
Weight: 0.266kg/m
Thickness: 1.5mm




SK732A

Vertical door frame
Weight: 0.466kg/m
Thickness: 1.5mm




OPK-A301

Door casing profile
Weight: 0.631kg/m
Thickness: 1.0mm




OPK-A306

Trim
Weight: 0.319kg/m
Thickness: 1.0mm



OPK-307


F strip
Weight: 0.209kg/m
Thickness: 1.0mm



BF143

Single side seal
Weight: 0.500kg/m
Thickness: 1.2mm


Assembly Drawing



COLOR CARD




Pocket door profile




SK733A

Vertical door frame
Weight: 0.470kg/m
Thickness: 1.5mm




SK734A

Vertical door frame
Weight: 0.493kg/m
Thickness: 1.5mm




SK732A

Vertical door frame
Weight: 0.466kg/m
Thickness: 1.5mm




SK727

Vertical door frame
Weight: 0.486kg/m
Thickness: 1.5mm




SK731A

Top and bottom frame
Weight: 0.772kg/m
Thickness: 1.5mm




SK728

Top and bottom frame
Weight: 0.691kg/m
Thickness: 1.5mm




OPK-A203-40

Door frame
Weight: 0.266kg/m
Thickness: 1.5mm




OPK-A229

Door frame
Weight: 0.219kg/m
Thickness: 1.5mm




OPK-A326

Connecting strip
Weight: 0.233kg/m
Thickness: 1.2mm




OPK-A329

Frames
Weight: 0.232kg/m
Thickness: 1.0mm



OPK-A327

Outer frame cover
Weight: 0.120kg/m
Thickness: 1.0mm




OPK-A205

Door casing profile
Weight: 0.540kg/m
Thickness: 1.0mm



OPK-A328



Outer frame cover
Weight: 0.169kg/m
Thickness: 1.0mm



OPK-A310

Hanging track side cover
Weight: 0.075kg/m
Thickness: 1.4mm

Assembly Drawing





Common Hardware



Perfect System Pocket Door Bouncer Set



Hanging pulley



Track buffer plate



Long hanging box



Track buffer piece



Short hanging box



Bounce wheel



Lower positioning



Corner joint screw



Glass rubber strip



Top rail damping strip



Hanging pulley buffer



COLOR CARD



Jazz black



Moonlight gray



Tata white



Cocoa gray



Gunmetal grey



Electrophoretic black pearl



Brushed and Polished Rose Gold



Sand - blasted Antique Bronze



Brushed Vifa Gold



Sand - blasted Champagne



Antique - style Bronze



Sand - blasted rose gold




New porcelain platinum gray




New porcelain cyan gray

Pivot door profile




SK733A

Vertical door frame
Weight: 0.470kg/m
Thickness: 1.5mm




SK734A

Vertical door frame
Weight: 0.493kg/m
Thickness: 1.5mm




SK732A

Vertical door frame
Weight: 0.466kg/m
Thickness: 1.5mm




SK727

Vertical door frame
Weight: 0.486kg/m
Thickness: 1.5mm



SK731A

Top and bottom frame
Weight: 0.772kg/m
Thickness: 1.5mm




SK728

Top and bottom frame
Weight: 0.691kg/m
Thickness: 1.5mm



OPK-A203-40


Door frame
Weight: 0.266kg/m
Thickness: 1.5mm



OPK-A229

Door frame
Weight: 0.219kg/m
Thickness: 1.5mm

Assembly Drawing



Common Hardware



Glass pivot door fitting



Fastener



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Universal profiles (35system)




SK791

Vertical door frame
Weight: 0.680kg/m
Thickness : 2.2mm




SK749

Vertical door frame
Weight: 0.564kg/m
Thickness : 2.5mm




SK752H

Vertical door frame
Weight: 0.508kg/m
Thickness : 1.5mm




SK792

Door frame with hook
Weight: 0.670kg/m
Thickness : 1.5mm




SK750

Door frame with hook
Weight: 0.474kg/m
Thickness : 1.4mm




SK753H

Door frame with hook
Weight: 0.491kg/m
Thickness : 1.3mm




SK751H

Top and bottom door frame
Weight: 0.631kg/m
Thickness : 1.4mm




SK754A

Top and bottom door frame
Weight: 0.668kg/m
Thickness : 1.3mm




SK578

Closing
Weight: 0.219kg/m
Thickness : 2.0mm



SK798


Lock profile for 1+1
Weight: 0.278kg/m
Thickness : 1.0mm



SK556


45 degrees corner
Weight: 0.283kg/m
Thickness : 1.0mm

Universal profiles (40system)




SK760

Vertical door frame
Weight: 0.648kg/m
Thickness : 2.0mm




SK774

Vertical door frame
Weight: 0.860kg/m
Thickness : 3.5mm




S947

Vertical door frame
Weight: 0.629kg/m
Thickness : 2.0mm




SK772

Vertical door frame
Weight: 0.793kg/m
Thickness : 5.0mm




SK773

Vertical door frame
Weight: 0.511kg/m
Thickness : 2.0mm




SK763

Vertical door frame
Weight: 0.720kg/m
Thickness : 5.0mm




SK761H

Door frame with hook
Weight: 0.612kg/m
Thickness : 1.5mm




SK758H

Door frame with hook
Weight: 0.539kg/m
Thickness : 1.5mm




SK764H

Door frame with hook
Weight: 0.480kg/m
Thickness : 1.5mm




SK762H

Top and bottom door frame
Weight: 0.745kg/m
Thickness : 1.5mm




SK769H

Top and bottom door frame
Weight: 0.800kg/m
Thickness : 1.5mm




SK765H

Top and bottom door frame
Weight: 0.613kg/m
Thickness : 1.5mm




SK598

Closing
Weight: 0.229kg/m
Thickness : 1.3mm



SK597

Lock profile for 1+1
Weight: 0.448kg/m
Thickness : 1.3mm



SK661


45 degrees corner
Weight: 0.316kg/m
Thickness : 1.0mm

Universal profiles




S473

Square grid strip
Weight: 0.073kg/m
Thickness : 1.0mm




BT058H

Trim
Weight: 0.345kg/m
Thickness : 1.2mm




BT070H

Trim
Weight: 0.407kg/m
Thickness : 1.2mm




BT091

F Strip
Weight: 0.136kg/m
Thickness : 1.0mm




BT092

F strip
Weight: 0.081kg/m
Thickness : 1.0mm




D-A470

Door casing profil
Weight: 0.488kg/m
Thickness : 0.8mm



BT060


Door casing profile
Weight: 0.627kg/m
Thickness : 0.8mm



S472


Rounded grid strip
Weight: 0.110kg/m
Thickness : 1.2mm

Hanging sliding door profiles




SG225

Single hanging track
Weight: 0.973kg/m
Thickness : 2.3mm




SG226

Double hanging track
Weight: 1.840kg/m
Thickness : 2.3mm




SG227

Triple hanging track
Weight: 2.706kg/m
Thickness : 2.3mm




SG228

Top track splicing strip
Weight: 0.153kg/m
Thickness : 1.6mm




SG230

Middle track cover
Weight: 0.128kg/m
Thickness : 1.2mm




BF160

Four side seal
Weight: 1.384kg/m
Thickness : 1.3mm




BF161

Single side seal
Weight: 0.301kg/m
Thickness : 1.0mm



BF167

Double side seal
Weight: 0.639kg/m
Thickness : 1.1mm




BF163

Triple side seal
Weight: 0.998kg/m
Thickness : 1.2mm


Assembly Drawing

35 SERIES SLIDING DOOR WITHOUT BOTTOM TRACK



Assembly Drawing

35 SERIES SLIDING DOOR WITH BOTTOM RAIL



Common Hardware



sliding door lock



sliding door handle



self-adhesive round handle



single roller -2 way soft closing



self tightening top roller



damper



(universal)push-pull anisotropic linkage-8089



push-pull triple linkage



push-pull 2+0 accessories



2+1 linkage roller set




3+1 linkage roller set




stainless steel low profile round cap rail -7802

Sliding door profiles




SG221

Single top track
Weight: 0.693kg/m
Thickness : 0.9mm




SG222A

Double top track (40)
Weight: 1.063kg/m
Thickness : 0.9mm




SG223

Triple top track(40)
Weight: 1.555kg/m
Thickness : 1.2mm




SG224

Linked double top track
Weight: 1.078kg/m
Thickness : 1.0mm




XG144

Single bottom track
Weight: 0.192kg/m
Thickness : 1.5mm




XG145

Double bottom track
Weight: 0.376kg/m
Thickness : 1.5mm




XG146

Triple bottom track
Weight: 0.560kg/m
Thickness : 1.5mm




XG147

Four bottom track
Weight: 0.794kg/m
Thickness : 1.6mm



SG239

Side cover
Weight: 0.231kg/m
Thickness : 1.2mm




SG229

Vertical cover
Weight: 0.196kg/m
Thickness : 1.2mm




SG166

Vertical cover
Weight: 0.206kg/m
Thickness : 1.3mm




SG236

Connecting strip
Weight: 0.140kg/m
Thickness : 1.6mm




BF161

Single side seal
Weight: 0.301kg/m
Thickness : 1.0mm




BF167

Double side seal
Weight: 0.639kg/m
Thickness : 1.1mm



BF163

Triple side seal
Weight: 0.998kg/m
Thickness : 1.2mm





BF160

Four side seal
Weight: 1.384kg/m
Thickness : 1.3mm



Assembly Drawing

40 SERIES SLIDING DOOR WITHOUT BOTTOM TRACK



Assembly Drawing

40 SERIES SLIDING DOOR WITH BOTTOM RAIL



Common Hardware



sliding door lock



sliding door handle



self-adhesive round handle



single roller -2 way
soft closing



self tightening top roller



damper



(universal)push-pull
anisotropic linkage-8089



push-pull triple linkage



push-pull 2+0 accessories



2+1 linkage roller set



3+1 linkage roller set



stainless steel low profile
round cap rail -7802




COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Swing door profile (35system)

SK749


Vertical door frame
Weight: 0.564kg/m
Thickness : 2.5mm


SK752H


Vertical door frame
Weight: 0.508kg/m
Thickness : 1.5mm


SK791


Vertical door frame
Weight: 0.680kg/m
Thickness : 2.2mm


D-A561H


Push in door Jamb
Weight: 0.766kg/m
Thickness : 1.2mm


D-A560


Push in door Jamb
Weight: 0.807kg/m
Thickness : 1.2mm


SK560


Closing
Weight: 0.449kg/m
Thickness : 1.0mm


BT058H


Trim
Weight: 0.345kg/m
Thickness : 1.2mm

Swing door profile (40system)

SK760


Vertical door frame
Weight: 0.648kg/m
Thickness : 2.0mm


S947


Vertical door frame
Weight: 0.628kg/m
Thickness : 2.0mm


SK773A

Vertical door frame
Weight: 0.549kg/m
Thickness : 2.0mm


SK785


Vertical door frame
Weight: 0.666kg/m
Thickness : 5.0mm


GT066


Decorative strip
Weight: 0.500kg/m
Thickness : 1.5mm


GT067


Lock material
Weight: 0.191kg/m
Thickness : 1.5mm


GT059


Decorative strip
Weight: 0.21kg/m
Thickness : 1.1mm


D-A613


Push in door Jamb
Weight: 0.756kg/m
Thickness : 1.2mm


D-A563H


Push in door Jamb
Weight: 0.800kg/m
Thickness : 1.2mm


D-A566

Push in door Jamb
Weight: 0.609kg/m
Thickness : 1.2mm


D-A562


Push in door Jamb
Weight: 0.841kg/m
Thickness : 1.2mm


BT103

Trim
Weight: 0.313kg/m
Thickness : 1.2mm


Assembly Drawing

35 SERIES SWING DOOR



Assembly Drawing

40 SERIES SWING DOOR



Common Hardware



bracket for door frame



bracket for door jamb



swing door lock



top and bottom
pivot hinge




canceled hinge




gasket



COLOR CARD




Ghost door profile



SK774


Vertical door frame
Weight: 0.860kg/m
Thickness : 3.5mm



SK762H

Top and bottom door frame
Weight: 0.745kg/m
Thickness : 1.5mm


Assembly Drawing



Common Hardware




ghost door fittings set



COLOR CARD




French vintage door profile (3510 sliding door)




SK749

Vertical door frame
Weight: 0.564kg/m
Thickness : 2.5mm




SK750

Door frame with hook
Weight: 0.474kg/m
Thickness : 1.4mm




SK783

Top and bottom door frame
Weight: 0.531kg/m
Thickness : 1.4mm




GT067

Lock material
Weight: 0.191kg/m
Thickness : 1.5mm




X816

Double track side column profile
Weight: 0.623kg/m
Thickness : 1.0mm




GT065H

Decorative strip
Weight: 0.412kg/m
Thickness : 1.5mm



SK752H

Vertical door frame
Weight: 0.508kg/m
Thickness : 1.5mm




SK560

Closing
Weight: 0.449kg/m
Thickness : 1.0mm




GT067

Lock material
Weight: 0.191kg/m
Thickness : 1.5mm




GT066

Decorative strip
Weight: 0.500kg/m
Thickness : 1.5mm



GD-014


European standard cover
Weight: 0.042kg/m
Thickness : 0.8mm



D-A546


Push in door Jamb
Weight: 0.549kg/m
Thickness : 1.1mm

French vintage door profile (4014 sliding door)




SG154A

Hanging track cover
Weight: 0.216kg/m
Thickness : 1.2mm




SG130

Double hanging track
Weight: 1.83kg/m
Thickness : 2.3mm




BF160

Four side seal
Weight: 1.384kg/m
Thickness : 1.3mm




SK785

Vertical door frame
Weight: 0.666kg/m
Thickness : 5.0mm




SK788

Door frame with hook
Weight: 0.532kg/m
Thickness : 1.5mm




BF136H

Double Side seal
Weight: 0.832kg/m
Thickness : 1.2mm




BF161

Single side seal
Weight: 0.301kg/m
Thickness : 1.0mm



BF167

Double side seal
Weight: 0.639kg/m
Thickness : 1.1mm




BF163

Triple side seal
Weight: 0.998kg/m
Thickness : 1.2mm




SG152B

Hanging track cover
Weight: 0.238kg/m
Thickness : 1.2mm




SG155

Double hanging track
Weight: 2.079kg/m
Thickness : 2.3mm




GT064

Lock material
Weight: 0.161kg/m
Thickness : 1.5mm




BF160

Four side seal
Weight: 1.384kg/m
Thickness : 1.3mm




BF163

Triple side seal
Weight: 0.998kg/m
Thickness : 1.2mm



BF161


Single side seal
Weight: 0.301kg/m
Thickness : 1.0mm



BF167


Double side seal
Weight: 0.639kg/m
Thickness : 1.1mm

French vintage door profile (4012 swing door)



SK760

Vertical door frame
Weight: 0.648kg/m
Thickness : 2.0mm




GT065H

Decorative strip
Weight: 0.412kg/m
Thickness : 1.5mm



GT067

Lock material
Weight: 0.191kg/m
Thickness : 1.5mm






D-A566

Push in door Jamb
Weight: 0.609kg/m
Thickness : 1.2mm




Assembly Drawing

SLIDING SERIES



Assembly Drawing

SWING SERIES



Common Hardware



zht128 pumpkin lock
(black)-8134



vintage door lock
(gold)-10358



modern lock



s472 external plug-10504



s472 external plug-10504



s473 external plug-10505



l plug



acrylic adhesive(9mm
width*2mm thickness)



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Universal profiles




SK478H

Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm




SK479H

Top and bottom door frame
Weight: 0.859kg/m
Thickness : 2.0mm




SK480H

Door frame with hook
Weight: 0.733kg/m
Thickness : 2.0mm




SK557

Vertical door frame
Weight: 0.652kg/m
Thickness : 2.0mm




SK559

Top and bottom door frame
Weight: 0.842kg/m
Thickness : 2.0mm




SK558

Door frame with hook
Weight: 0.737kg/m
Thickness : 2.0mm




SK520

Vertical door frame
Weight: 0.698kg/m
Thickness : 2.0mm




SK521

Top and bottom door frame
Weight: 0.893kg/m
Thickness : 2.0mm




SK522

Door frame with hook
Weight: 0.783kg/m
Thickness : 2.0mm




SK543H

Vertical door frame
Weight: 0.647kg/m
Thickness : 2.0mm



SK544H

Top and bottom door frame
Weight: 0.808kg/m
Thickness : 2.0mm




SK545H

Door frame with hook
Weight: 0.698kg/m
Thickness : 2.0mm




SK577

Closing
Weight: 0.254kg/m
Thickness : 2.0mm




SK485A

Lock profile for 1+1
Weight: 0.497kg/m
Thickness : 1.0mm




SK490

45 degrees corner
Weight: 0.497kg/m
Thickness : 1.0mm



GT062

Window pane divider strip
Weight: 0.082kg/m
Thickness : 0.8mm



GB044

Window pane divider strip
Weight: 0.104kg/m
Thickness : 0.8mm




BF020B

F strip
Weight: 0.166kg/m
Thickness : 1.0mm




BF020C

P strip
Weight: 0.163kg/m
Thickness : 1.0mm




H682A

Trim
Weight: 0.500kg/m
Thickness : 1.1mm




BT046

Trim
Weight: 0.563kg/m
Thickness : 1.1mm




BT061

Door casing with trim
Weight: 0.424kg/m
Thickness : 0.8mm




D-A470

Door casing profile
Weight: 0.488kg/m
Thickness : 0.8mm




BT060

Door casing profile
Weight: 0.627kg/m
Thickness : 0.8mm




BT064

Door casing profile
Weight: 3.67kg/m
Thickness : 2.1mm




D-A531A

Trim
Weight: 0.521kg/m
Thickness : 0.95mm




D-A548H

Trim
Weight: 0.268kg/m
Thickness : 1.2mm




BT058H

Trim
Weight: 0.345kg/m
Thickness : 1.2mm




BT054

Door casing with trim
Weight: 1.025kg/m
Thickness : 1.1mm




BT055

Door casing with trim
Weight: 1.435kg/m
Thickness : 1.3mm




BT056

Door casing with trim
Weight: 1.078kg/m
Thickness: 1.1mm



BT057

Door casing with trim
Weight: 1.589kg/m
Thickness: 1.3mm




BT052

F strip
Weight: 0.164kg/m
Thickness : 1.0mm



BT053


F strip
Weight: 0.288kg/m
Thickness : 1.0mm



D-A557H


Cap
Weight: 0.790kg/m
Thickness : 1.0mm

Hanging sliding door profiles




SG129

Single hanging track
Weight: 1.197kg/m
Thickness : 2.5mm




SG127

Double hanging track
Weight: 1.83kg/m
Thickness : 2.5mm



SG128

Triple hanging track
Weight: 3.127kg/m
Thickness : 2.5mm




SG154A

Hanging track cover
Weight: 0.216kg/m
Thickness : 1.2mm




SG137A

Hanging track cover
Weight: 0.236kg/m
Thickness : 1.0mm




SG152B

Cover
Weight: 0.238kg/m
Thickness : 1.2mm




SG100C

Cover
Weight: 0.281kg/m
Thickness : 1.2mm




BF133

Single side seal
Weight: 0.529kg/m
Thickness : 1.1mm




BF128

Double side seal
Weight: 0.935kg/m
Thickness : 1.2mm



BF129




Triple side seal
Weight: 1.533kg/m
Thickness : 1.4mm




BF141

Side seal cover
Weight: 0.292kg/m
Thickness : 1.0mm

Assembly Drawing



Assembly Drawing



Common Hardware



bracket for door fram



sliding door lock




2+1 roller set




Single roller set—two way
soft closing

Sliding door profile




SG112

Single top track
Weight: 0.907kg/m
Thickness : 1.2mm




SG113

Double top track
Weight: 1.588kg/m
Thickness : 1.2mm




SG110

Triple top track
Weight: 2.22kg/m
Thickness : 1.4mm




SG161

Four or 2+0 top track
Weight: 1.431kg/m
Thickness : 1.4mm




SG160A

2+0 cover
Weight: 0.217kg/m
Thickness : 1.3mm




SG160B

Connecting strip
Weight: 0.099kg/m
Thickness : 1.6mm




XG130

Single bottom track
Weight: 0.334kg/m
Thickness : 1.2mm




XG131

Double bottom track
Weight: 0.614kg/m
Thickness : 1.2mm




XG132

Triple bottom track
Weight: 0.936kg/m
Thickness : 1.4mm




BF133

Single side seal
Weight: 0.529kg/m
Thickness : 1.1mm




BF128

Double side seal
Weight: 0.935kg/m
Thickness : 1.2mm



BF129


Triple side seal
Weight: 1.533kg/m
Thickness : 1.4mm




BF141

Side seal cover
Weight: 0.292kg/m
Thickness : 1.0mm

Assembly Drawing



Assembly Drawing



Common Hardware



sliding door lock



top roller-7918



bottom roller-7932



soft closing buffer-8350




1+1 roller set




low rail round cap stainless steel guiderail-7802



COLOR CARD




Swing door profile




SK478H

Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm




SK557

Vertical door frame
Weight: 0.652kg/m
Thickness : 2.0mm




SK520

Vertical door frame
Weight: 0.698kg/m
Thickness : 2.0mm




SK543H

Vertical door frame
Weight: 0.647kg/m
Thickness : 2.0mm




D-A532

Closing
Weight: 0.515kg/m
Thickness : 1.0mm




D-A545

45 degrees corner
Weight: 0.979kg/m
Thickness : 1.5mm




D-A527

45 degrees corner
Weight: 0.745kg/m
Thickness : 1.2mm




H682A

Trim
Weight: 0.500kg/m
Thickness : 1.1mm




D-A529

Push in door Jamb
Weight: 0.909kg/m
Thickness : 1.2mm




D-A530

Push in door jamb
Weight: 0.907kg/m
Thickness : 1.2mm




D-A556H

Push in door Jamb
Weight: 0.74kg/m
Thickness : 1.2mm




D-A555

Push in door Jamb
Weight: 0.809kg/m
Thickness : 1.2mm




D-A565H

Push in door Jamb
Weight: 0.834kg/m
Thickness : 1.2mm




D-A564

Push in door Jamb
Weight: 0.875kg/m
Thickness : 1.2mm




D-A548H

trim
Weight: 0.345kg/m
Thickness : 1.2mm




D-A567

Push in door jamb
Weight: 1.135kg/m
Thickness : 1.2mm




D-A523

P strip
Weight: 0.181kg/m
Thickness : 1.0mm




GD-014

European standard cover
Weight: 0.042kg/m
Thickness : 0.8mm




BT058H

Trim
Weight: 0.345kg/m
Thickness : 1.2mm




D-A531A

Trim
Weight: 0.521kg/m
Thickness : 0.95mm




D-A543

Center column
Weight: 0.823kg/m
Thickness : 2.2mm




D-A550

F strip
Weight: 0.207kg/m
Thickness : 0.8mm




D-A541

Push in door Jamb
Weight: 0.883kg/m
Thickness : 2.0mm



D-A542


Push in door Jamb
Weight: 1.5kg/m
Thickness : 0.757mm




D-A544

Clip
Weight: 0.153kg/m
Thickness : 1.0mm

Assembly Drawing



Assembly Drawing



Common Hardware



swing door lock



bracket for door frame



bracket for door jamb



regular hinge



level bolt for double door



glass gasket for 8mm glass



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Ghost door profile (4516/4506)




SK590

Vertical door frame
Weight: 0.872kg/m
Thickness : 2.0mm



SK589




Glass door lower bracket
Weight: 1.185kg/m
Thickness : 1.4mm



SK591

Glass door upper bracket
Weight: kg/m
Thickness : mm

Assembly Drawing



Common Hardware



ghost door fittings set



bracket for door fram



8mm glass gasket




sliding door lock



COLOR CARD




Pivot door profile (4516)



SK478H


Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm



SK479H

Top and botton door frame
Weight: 0.859kg/m
Thickness : 2.0mm

Assembly Drawing



Common Hardware



glass pivot door fitting



bracket for door frame




8mm glass gasket



COLOR CARD




Pocket door profile (4516)




SK478H

Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm




SK479H

Top and bottom door frame
Weight: 0.859kg/m
Thickness : 2.0mm



SK520



Vertical door frame
Weight: 0.698kg/m
Thickness : 2.0mm




SG129

Top track
Weight: 1.197kg/m
Thickness : 2.5mm

Assembly Drawing



Assembly Drawing



Common Hardware



pocket door handle



bracket for door frame



reboud device



roller set



8mm glass gasket



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

French vintage door profile (4516)




SK478H

Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm




ZH190

Decorative strip
Weight: 0.577kg/m
Thickness : 1.4mm




ZHT126H

Decorative strip
Weight: 0.336kg/m
Thickness : 1.0mm




GT059

Lock material
Weight: 0.21kg/m
Thickness : 1.1mm



S472

Decorative strip
Weight: 0.110kg/m
Thickness : 1.2mm




GT044

Window pane divider strip
Weight: 0.104kg/m
Thickness : 0.8mm




S473

Rounded lattice
Weight: 0.073kg/m
Thickness : 1.0mm




ZHT125

Decorative strip
Weight: 0.385kg/m
Thickness : 1.0mm




ZH186

Decorative strip
Weight: 0.649kg/m
Thickness : 2.0mm



ZHT124



Decorative strip
Weight: 0.196kg/m
Thickness : 1.0mm




ZHT128

Lock profile
Weight: 1.260kg/m
Thickness : 1.5mm

Assembly Drawing



Assembly Drawing



Common Hardware



perfect angle screw



Ecological door external hinge-6216



ZHT128 pumpkin lock (gold)-8135



center column plastic base-6883



ZH187 milling cutter (SK561)-6880




ZHT124 L-shaped plug-8138



COLOR CARD




Partitions series profile (4516)




SK478H

Vertical door frame
Weight: 0.664kg/m
Thickness : 2.0mm




D-A543H

Center column
Weight: 0.847kg/m
Thickness : 2.2mm




D-A544

Clip
Weight: 0.153kg/m
Thickness : 1.0mm



D-A541



Push in door Jamb
Weight: 0.883kg/m
Thickness : 2.0mm




D-A542

Push in door Jamb
Weight: 1.5kg/m
Thickness : 0.757mm

Assembly Drawing



Assembly Drawing



Common Hardware



swing door lock



bracket for door frame



bracket for door jamb



regular hinge



level bolt for double door




8mm glass gasket




SK703 stainless steel corner screws(flat material)-9012



COLOR CARD




Universal profiles




SK775

Vertical door frame
Weight: 0.780kg/m
Thickness : 1.4mm




SK776

Vertical door frame
Weight: 1.166kg/m
Thickness : 4.0mm




SK777

Door frame with hook
Weight: 0.207kg/m
Thickness : 0.8mm




SK778

Door frame with hook
Weight: 0.316kg/m
Thickness : 0.8mm




FG030

Double center column
Weight: 0.785kg/m
Thickness : 1.0mm




FG031

Triple center column
Weight: 1.308kg/m
Thickness : 1.2mm




BF097A

Triple side seal cover
Weight: 0.204kg/m
Thickness : 1.0mm




GB044

Double cover
Weight: 0.104kg/m
Thickness : 0.8mm



GB045

Triple cover
Weight: 0.586kg/m
Thickness : 1.3mm




FG023B

Clip
Weight: 0.149kg/m
Thickness : 0.8mm




M997

Gauze frame
Weight: 0.252kg/m
Thickness : 1.0mm




GT062

Grid strip
Weight: 0.082kg/m
Thickness : 0.8mm




GT044

Grid strip
Weight: 0.104kg/m
Thickness : 0.8mm




SK779

Closing
Weight: 0.328kg/m
Thickness : 1.0mm




D-A470

Door casing profile
Weight: 0.488kg/m
Thickness : 0.8mm



BT060

Door casing profile
Weight: 0.627kg/m
Thickness : 0.8mm




BF020C

P strip
Weight: 0.163kg/m
Thickness : 1.0mm




BF020B

F strip
Weight: 0.166kg/m
Thickness : 1.0mm



H682A


Trim
Weight: 0.500kg/m
Thickness : 1.1mm



SG239


Concave wheel cover
Weight: 0.231kg/m
Thickness : 1.2mm

Hanging sliding door profiles




SG225

Single hanging track
Weight: 0.973kg/m
Thickness : 2.3mm




SG226

Double hanging track
Weight: 1.840kg/m
Thickness : 2.3mm




SG227

Triple hanging track
Weight: 2.706kg/m
Thickness : 2.3mm




SG228

Track connecting
Weight: 0.153kg/m
Thickness : 1.6mm



SG229

Side cover
Weight: 0.196kg/m
Thickness : 1.2mm




SG230

Middle cover
Weight: 0.128kg/m
Thickness : 1.2mm




SK492B

Sub-profile
Weight: 0.496kg/m
Thickness : 2.5mm




BF164

Single side seal
Weight: 0.649kg/m
Thickness : 1.2mm




BF165

Double side seal
Weight: 1.047kg/m
Thickness : 1.2mm



BF166


Triple side seal
Weight: 1.954kg/m
Thickness : 1.3mm




BF097A

Triple side seal cover
Weight: 0.204kg/m
Thickness : 1.0mm


Assembly Drawing



Common Hardware




Sliding door profiles




SG233

Single sliding track
Weight: 0.782kg/m
Thickness : 1.2mm




SG234

Double sliding track
Weight: 1.265kg/m
Thickness : 1.2mm




SG235

Triple sliding track
Weight: 1.963kg/m
Thickness : 1.3mm




XG144

Single bottom track
Weight: 0.192kg/m
Thickness : 1.5mm




XG145

Double bottom track
Weight: 0.376kg/m
Thickness : 1.5mm




XG146

Triple bottom track
Weight: 0.560kg/m
Thickness : 1.5mm




XG148

Double high bottom track
Weight: 1.603kg/m
Thickness : 1.4mm




XG149

Triple high bottom track
Weight: 2.173kg/m
Thickness : 1.4mm




BF164

Single side seal
Weight: 0.649kg/m
Thickness : 1.2mm




BF165

Double side seal
Weight: 1.047kg/m
Thickness : 1.2mm



BF166




Triple side seal
Weight: 1.954kg/m
Thickness : 1.3mm




BF097A

Triple side seal cover
Weight: 0.204kg/m
Thickness : 1.0mm

Assembly Drawing



Assembly Drawing



Common Hardware



door frame aluminum corner code



door jamb corner code



handle



handle lock



top wheel



bottom wheel



high track bottom wheel



hanging track wheel with single buffer



hanging track wheel with double buffer



hanging track wheel without buffer



diamond buffer



short buffer



COLOR CARD




Jazz black Moonlight gray Tata white Cocoa gray Gunmetal grey Electrophoretic black pearl Brushed and Polished Rose Gold Sand - blasted Antique Bronze Brushed Vifa Gold Sand - blasted Champagne




Antique - style Bronze Sand - blasted rose gold New porcelain platinum gray New porcelain cyan gray

Swing door profiles




SK780

Door frame
Weight: 0.599kg/m
Thickness : 1.2mm




D-A614

Push in door jamb
Weight: 0.769kg/m
Thickness : 1.1mm




D-A615

Push in door jamb
Weight: 0.785kg/m
Thickness : 1.1mm




H682A

Trim
Weight: 0.500kg/m
Thickness : 1.1mm




D-A550

F strip
Weight: 0.207kg/m
Thickness : 0.8mm




D-A470

Door casing profile
Weight: 0.488kg/m
Thickness : 0.8mm




BT060

Door casing profile
Weight: 0.627kg/m
Thickness : 0.8mm



D-A531A


Trim
Weight: 0.521kg/m
Thickness : 0.95mm



SK560

Closing
Weight: 0.449kg/m
Thickness : 1.0mm

Assembly Drawing



Common Hardware



aluminum corner code



aluminum corner code



door jamb aluminum corner code



angle plate with screw group



35 system hinge



35 system hinge



swing door lock



swing door lock